


AMERICAN

25c

\$3.00 YEARLY IN U.S.

Cinematographer

THE MAGAZINE OF MOTION PICTURE PHOTOGRAPHY



HOUSE
HOUSE
SIMONS
SHAWER
FARLEY
HUFFORD

<input checked="" type="checkbox"/> WESTFALL	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/> GRANT	<input checked="" type="checkbox"/>
<input type="checkbox"/> SULLIVAN	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/> SPARKS	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/> HARAUGHTY	<input checked="" type="checkbox"/>
<input type="checkbox"/> <i>Waters</i>	

Last person checking name
please return to library

This Month: ACADEMY AWARD WINNERS

Also: Under Water With The Aquaflex • Ten Factors For TV Films

**APRIL
1951**

On location with Du Pont Film...



Superlative performance of "Cyrano" ... recorded on Du Pont "Superior" 2

"*Cyrano de Bergerac*"—the magnificent Stanley Kramer production released in November, starring José Ferrer, Mala Powers, William Prince and Ralph Clanton—is another of the year's outstanding pictures made on Du Pont Motion Picture Film.

In the off-stage still above, Director Michael Gordon (lower right) surveys the battlefield set-up for one of the choice scenes. At the camera finder is Frank Planer, A. S. C.—the man responsible for the excellent photography that made the picture an instant success and earned for him the Hollywood Foreign Correspondents Association "Golden Globe"

Award for best black and white photography in 1950.

Du Pont "Superior" 2 is widely used by leading cinematographers because as an all-purpose negative rawstock it records faithfully the artistry of high- or low-key lighting technique. E. I. du Pont de Nemours & Co. (Inc.), Photo Products Dept., Wilmington 98, Delaware.


NEW YORK • LOS ANGELES • CHICAGO




BETTER THINGS FOR BETTER LIVING . . . THROUGH CHEMISTRY




DU PONT
MOTION PICTURE
FILM




PERFECT PERFORMER. 16mm 70-H camera. Seven film speeds, governor controlled—three-lens turret with positive-type viewfinder system—shutter stabilizer—hand crank, rewind knob—adapted for external magazine and electric motor.



TRUE PROFESSIONAL. 2709-Special. 16mm adaptation of the 35mm camera long popular with Hollywood film studios. Meets the needs of the television field. Four-lens turret accommodates all TTH Speed Panchrotal lenses. Famous B&H fixed-pilot-pin film movement. 170° adjustment shutter with automatic or manual dissolve. 200-, 400-, and 1000-foot B&H 35mm magazines may be adapted. 35mm version also available, Model 2709-D.



FAST, ACCURATE SPLICER. Automatic Film Splicing Machine. Built to very close tolerances to give quick, clean, accurate splices, strong as the film itself! Speedy operation means economy and efficiency. Splices negative or positive 8mm, 16mm and 35mm film.



RIGHT FOR TELEVISION USE. 300-watt pre-aligned lamp in new design, high intensity lamphouse provides perfect light for printing any type of 16mm film, fine grain, black-and-white or color. Three-way aperture for continuous printing—sound and picture separately or both together. Minimum speed, 60 feet per minute. Other models available.

Choice of professionals for—

TELEVISION • NEWSREELS • INDUSTRIAL FILMS

FOR more than 40 years the Bell & Howell name has stood for the finest among Hollywood experts. And today—for television and every other professional use—it is *still* the first choice of the men who know!


For further information about these and other B&H products for professional use write Bell & Howell Company, 7148 McCormick Road, Chicago 45.

GUARANTEED FOR LIFE

During life of the product, any defects in workmanship or materials will be remedied free (except transportation).

You buy for a lifetime when you buy

Bell & Howell



This emblem is
your assurance

of
Courteous
Faithful
Intelligent

**LABORATORY
SERVICE**

OUR GOAL:

To bring to the
screen in flaw-
less manner,
the skill and
artistry of the
cinematographer

Consolidated
FILM INDUSTRIES
959 N. SEWARD ST.
PHONE HO 9-1441

AMERICAN

Cinematographer

THE MAGAZINE OF MOTION PICTURE PHOTOGRAPHY

ARTHUR E. GAVIN, *Editor*

Technical Editor, EMERY HUSE

GLENN R. KERSHNER, *Art Editor*

Circulation, MARGUERITE DUERR

EDITORIAL ADVISORY BOARD: Fred W. Jackman, A.S.C., John Arnold, A.S.C. Arthur Edeson, A.S.C., Lee Garmes, A.S.C., Charles Rosher, A.S.C., Leon Shamroy, A.S.C., Fred Gage, A.S.C., Dr. J. S. Watson, A.S.C., Dr. L. A. Jones, A.S.C., Dr. C. E. K. Mees, A.S.C., Dr. V. B. Sease, A.S.C., Col. Nathan Levinson.

Editorial and Business Office: 1782 N. Orange Dr., Hollywood 28, Calif.
Telephone: GRanite 2135

VOL. 32

APRIL • 1951

NO. 4

CONTENTS

ARTICLES

UNDER WATER WITH THE AQUAFLEX — <i>By Til Gabbani</i>	132
1950 ACADEMY AWARDS — <i>By Arthur E. Gavin</i>	134
FRANK PLANER, A.S.C. — GOLDEN GLOBE AWARD WINNER	135
AERIAL PHOTOGRAPHY - 1951 — <i>By Clyde DeVinna, A.S.C.</i>	136
EDITING MAGNETIC SOUND — <i>By Loren L. Ryder, A.S.C.</i>	137
TEN BASIC FACTORS OF TV FILM PRODUCTION — <i>By Arthur L. Marble</i>	138
VITAL TOOL OF ENGINEERING LABS — <i>By Ralph Lawton</i>	140

AMATEUR CINEMATOGRAPHY

THE USE OF REFLECTED LIGHT — <i>By Charles L. Anderson</i>	145
MUSIC FOR FILMS — <i>Charles Loring</i>	146

FEATURES



HOLLYWOOD BULLETIN BOARD	126
WHAT'S NEW IN EQUIPMENT, ACCESSORIES AND SERVICE	130
TELEVISION FILM PRODUCTION — <i>By Leigh Allen</i>	139
CURRENT ASSIGNMENTS OF A.S.C. MEMBERS	160

ON THE COVER

PERT DEBBIE REYNOLDS, M-G-M starlet, presents to Robert Surtees, A.S.C., the "Oscar" award of the Academy of Motion Picture Arts and Sciences for best achievement in color cinematography for *King Solomon's Mines*. Academy's presentation ceremonies were held night of March 29th in Hollywood.

AMERICAN CINEMATOPHGRAPHER, established 1920, is published monthly by the A. S. C. Agency, Inc., 1782 N. Orange Dr., Hollywood 28, Calif. Entered as second class matter Nov. 18, 1937, at the postoffice at Los Angeles, Calif., under act of March 3, 1879. SUBSCRIPTIONS: United States and Pan-American Union, \$3.00 per year; Canada, \$3.00 per year; Foreign, \$4.00. Single copies, 25 cents; back numbers, 30 cents; foreign single copies, 35 cents; back numbers, 40 cents. Advertising rates on application. Copyright 1951 by A. S. C. Agency, Inc.


Mitchell * known 'round the world...
wherever great 16mm and 35mm films are made



THE MOTION PICTURE INDUSTRY insists upon professional perfection . . . uses only the finest equipment. Mitchell has become the standard equipment of the world's leading studios . . . films 85% of the motion pictures shown in theatres throughout the world!




AMERICAN BUSINESS needs top quality films to promote sales, educate employees, create good will and inspire a better way of American Life. Today, more and more of the nation's business leaders specify modern, sure Mitchell equipment.



GOVERNMENT SERVICES set high specifications for photographic equipment. Time after time, precision perfect Mitchell 16mm and 35mm products have been selected for purchase by United States and Foreign Governments.



NEWS SERVICES require fast, versatile photographic equipment for "on the spot" coverage. Working under pressure, in a field where retakes are unknown, Mitchell has lived up to its reputation for dependability and accuracy.



TELEVISION demands adaptable equipment to meet fast-changing techniques. Mitchell's professionally-proven equipment is now winning new successes and bringing new economies to the filming of Television programs and shows.



**... AND FROM MITCHELL'S
ENGINEERING LABORATORIES**

newly developed, pace-setting photographic equipment will soon emerge. Look to Mitchell for the Year's most important contributions to 16mm and 35mm photographic perfection!

Mitchell Camera CORPORATION

666 WEST HARVARD STREET • GLENDALE 4, CALIFORNIA • CABLE ADDRESS: "MITCAMCO"

EASTERN REPRESENTATIVE: THEODORE ALTMAN • 521 FIFTH AVENUE • NEW YORK CITY 17 • MURRAY HILL 2-7038



85% of the motion pictures shown in theatres throughout the world are filmed with a Mitchell

Hollywood

Bulletin Board

Metro-Goldwyn-Mayer following ten years of cooperative experimentation and development with Ansco, has launched its first production in Ansco Color. Titled *The North Country* and shot mostly in the state of Idaho, the photography is being directed by Robert Surtees, A.S.C.

The extensive program of color research at M-G-M was conducted jointly by John Arnold, A.S.C., the studio's executive director of photography, and J. M. Nickolaus, head of M-G-M's film processing laboratory.

Charles G. Clarke, former A.S.C. president, and one of 20th-Fox's ace directors of photography, returned from Australia late in March after an absence of 8 months, during which time he photographed *Kangaroo* for Fox, using Technicolor Monopack.



Karl Struss, A.S.C., upon completion of the photography of *The Secret Sharer*, starring James Mason, took over the photography of *A Lady Possessed*, which also stars Mason and which was begun in England. The picture will be completed in Hollywood.

John Boyle, A.S.C., and **Charles G. Clarke, A.S.C.**, directed the photography of a complete film record of the 1950 Academy Awards presentation ceremonies which took place at the RKO-Pantages Theatre in Hollywood the evening of March 29th.

Four Maurer 16mm professional cameras were used to photograph the proceedings in Kodachrome. To provide adequate illumination, Boyle and Clarke devised an ingenious arrangement of carbon arc spotlights fitted with shutters, and a system of telephone intercommunication between the lamp operators and the directors of photography.

Eastman Kodak Company, through the courtesy of Emery Huse, A.S.C., donated the necessary 16mm Kodachrome film. The motion picture, which will be screened for Academy members late this month, was made for Academy archives.

Robert Pratt Young was appointed Manager of motion picture sales for Ansco last month to succeed Kneeland Nunan who resigned to accept a position with RKO's Hollywood studios. Formerly Eastern Sales Manager of Ansco's motion picture division, Mr. Young joined the company in 1945 as a salesman, later became assistant manager of the company's New York City branch. He will maintain headquarters at Ansco's sales office in Hollywood.

John Arnold, A.S.C., has developed a new camera heating device for Mitchell and Technicolor cameras. No larger than a cigarette pack, device transmits heat directly to camera's moving parts. Robert Surtees employed one on the camera he used last month at Sun Valley, Idaho, with excellent results. Other units are being made and will be fitted to all cameras on the lot.

Joseph Ruttenberg, A.S.C., has been elected a member of the American Standards Association sectional committee on standards for motion pictures. Scope of the committee is to formulate definitions, dimensional standards, methods of test and rating and performance characteristics of materials and devices used in silent and sound motion picture photography and in sound recording.



Reno, Nevada will add still another trophy to the parade of photographic awards which have been tendered directors of photography in the motion picture industry. This month, the Reno Silver Spurs Awards Committee will award a

plaque and silver spurs for the western film produced during 1950 embodying the best outdoor photography. The award will go to the director of photography of the winning film.

Carl Louis Gregory, veteran cinematographer and motion picture engineer, died at his home in California March 11th. Gregory worked with the old Edison Company in the Bronx as early as 1908, and later photographed *The Million Dollar Mystery*, famous silent film. He was also an ace newsreel cameraman. He was a member of the Edison Photo S.M.P.T.E., American Society of Cinematographers and a Fellow of the Royal Photographic Society. His widow, Marie Gregory, and five sisters survive.

Ray Fernstrom, A.S.C., has just completed a series of tests of a new motion picture stereo system called Technorama developed by his brother, Carl E. Fernstrom. Tests were photographed in both black-and-white and color and, according to Fernstrom, no special developing, printing or projectors or special eyeglasses are required. Stereo effect is said to be achieved by the special camera, details of which are a closely guarded secret.

S.M.P.T.E. will hold its 69th semi-annual convention April 30 to May 4 at the Hotel Statler, New York City. Industrial, medical, and military applications of motion pictures and television, as well as their more familiar uses for entertainment, will be explored in more than fifty technical reports.



CAMERA SETUPS employed by John Boyle and Charles G. Clarke in photographing the 23rd Annual Academy Awards Presentation Ceremonies at RKO-Pantages Theatre in Hollywood, the evening of March 29th. Battery of four Maurer 16mm cameras was mounted alongside the newsreel cameras at balcony railing. Big arcs at either side of balcony furnished illumination.

TRY
*Cinema
Research*
FIRST

ANIMATION CAMERA SERVICE

FOR HIRE BY THE HOUR

The most flexible
animation camera
ever devised in
**HOLLYWOOD
MOTION PICTURE
HISTORY**

Available for
**TV Stations
Commercials
TV Producers
Training Film
Producers . . .
Slide Film Masters**

This Camera
Currently Handling
**16mm-35mm
BLACK and WHITE
KODACHROME
TECHNICOLOR
ANSCO COLOR
DUPONT COLOR**



Excellent equipment plus experienced personnel are combined to give you quality optical printing and title service.

TRY
*Cinema
Research*
FIRST

Better Quality!

Lower Cost!

Faster Service!

TRY
*Cinema
Research*
FIRST

**BLACK AND WHITE — KODACHROME — ANSCO COLOR
TWO COLOR AND THREE COLOR SEPARATION NEGATIVES**

Optical Printing
16mm to 16mm 35mm to 35mm
16mm to 35mm 35mm to 16mm

Effects
Fades Dissolves
Wipes Zooms
Montages

Titles
16mm to 35mm Animation
Trailers Slide film masters

COLOR

**35MM THEATRE QUALITY BLOW-UP PRINTS
FROM
16MM ORIGINALS**

B & W


Cinema Research Corporation

HAROLD A. SCHEIB, President

7000 Romaine
Hollywood 28, Calif.
HUDSON 2-7464


New SPECTRA 3 COLOR METER

**THE ONLY METER THAT MEASURES ALL LIGHT SOURCES—
INCLUDING DAYLIGHT, ACCURATELY**



The only meter that has the two scales—BLUE/RED and GREEN/RED and is calibrated to read directly in the new Spectra Index Units (Table is supplied to convert Spectra Index into Kelvin Units)

For a true color picture, there must be a correct relationship between the color content of the light and the color sensitivity of the film. SPECTRA 3 Color Meter measures the proportionate amounts of all three primary colors present in the light source, and indicates the filters necessary for positive color correction.




SPECTRA SENSITIVITY INDEX (SSI)

The following table shows the Spectra Sensitivity Index (SSI) for currently available color films:

EASTMAN FILMS	
Ektachrome Type B	SSI
Kodachrome Daylight	0/0
Kodachrome Type A	14/7
Kodachrome Type B	2/1
Kodachrome Daylight (with 83 Filter)	0/0
ANSKO FILMS	14/7
Ansco Color Film Tungsten	0/0
Ansco Color Film Daylight	14/7

As fully explained in the instruction book for the Spectra Color Meter, the Spectra Distribution Index (SDI) read from the meter plus the Spectra Transmission Index (STI) for the required filter should equal the Spectra Sensitivity Index (SSI) of the film used.

Copyright, 1951 Photo Research Corp., Burbank



SPECTRA CT and GC FILTERS

CT (Color Temperature) GC (Green Correction)

All filters are optically flat and coated. The SPECTRA 3 Color Meter indicates the correct SPECTRA Filter to be used.

Write today for our descriptive literature of SPECTRA 3 Color Meter, Filters and prices—also for conversion of existing models to the new 3 Color SPECTRA.




PHOTO RESEARCH CORP.

**127 W. ALAMEDA AVE. • Stanley 7-4704
BURBANK, CALIFORNIA**

EASTERN REPRESENTATIVES: CAMERA EQUIPMENT CO., 1600 BROADWAY, NEW YORK 19, N. Y.



A Real Moneymaker!



.... HOUSTON-FEARLESS PROCESSING EQUIPMENT PAYS OFF HANDSOMELY

The demand for fast, dependable, quality motion picture film processing is rapidly increasing in every community throughout the country, presenting an excellent opportunity for wide-awake film producers and local laboratories. The Houston-Fearless Model 22 Developer shown above makes it possible to provide this profitable service in your area with only a moderate investment.

This portable machine develops 16mm black and white, negative, positive or reversal films.

It is self-contained, entirely automatic and easy to operate. Complete refrigeration, re-circulating systems, air compressor and positive temperature controls. Operates in daylight, handling the entire job from camera to screen.

Model 22 is the same high Houston-Fearless quality that has been standard of the motion picture industry in Hollywood and throughout the world for 20 years. Other 16mm and 35mm Houston-Fearless black and white and color equipment to serve your particular requirements.

*Write for information on specially-built
equipment for your specific needs.*

The
**HOUSTON
FEARLESS**
Corporation

- DEVELOPING MACHINES • COLOR PRINTERS • FRICTION HEADS
- COLOR DEVELOPERS • DOLLIES • TRIPODS • PRINTERS • CRANES

11801 W. OLYMPIC BLVD • LOS ANGELES 64, CALIF.

"WORLD'S LARGEST MANUFACTURER OF MOTION PICTURE PROCESSING EQUIPMENT"

FACTS ABOUT KINEVOX



**SYNCHRONOUS MAGNETIC
RECORDER**

Patent Applied For


\$139500

- Kinevox leads the world in sales of Synchronous Magnetic Recorders and associated equipment.
- Licensed under R.C.A. and Armour Research Foundation Patents.
- The first Kinevox Recorder sold is still in daily use.
- Mass production methods permit retaining reasonable selling prices.
- Kinevox supplies all required equipment for synchronous magnetic recording.
- There is not a second-hand Kinevox Recorder on the market for sale.
- Kinevox equipment now used in ten major foreign countries.
- There is no Recorder available that is comparable to Kinevox for Price—Portability—and Performance.
- Repeat orders from our customers our best Testimonials.
- Kinevox has always been financially able to uphold its guarantees.

**KINEVOX
INCORPORATED**

4000 Riverside Dr. Phone: RO. 9-3291
Burbank, Calif. Cable: Kinevox, Burbank

WHAT'S NEW in equipment, accessories, service




• **THE SENSITESTER** long has been famous as one of the most accurate devices for making light test strips and sensitometric strips which are used in the printing of motion picture films.

Art Reeves, 7512 Santa Monica Blvd., Hollywood, has improved the Sensitester with several features, including an electronic timer and a new cold light source.

Supplied with the Sensitester is a set of instructions and a chart which greatly simplifies for the non-technical lab man the procedure for making light test or sensitometric strips.

• **FAST CHANGEOVER** from high to low or low to high camera positions in a matter of seconds is a dominant feature of the Hydrolift Dolly. Camera position may be changed in approximately five seconds. The camera boom arm is actuated by a manually operated hydraulic cylinder pump. The dolly can also



be furnished with an electric pump. It will accommodate any 16mm or 35mm camera, with or without blimp, as well as any TV camera—and withstand up to 250 pounds in camera weight. Dolly

is narrow enough to ride easily through ordinary doorway and compact and light enough for easy hauling in station wagon for location use.

Manufacturer is National Cine Equipment, Inc., 20 West 22nd St., New York City.

• **FORGET THE TRIPOD SCREW** when you use the handy Johnson Kam-Lok camera mounting for tripods, which enables cine cameras to be quickly attached or detached from tripod in a jiffy. Kam-Lok is in two parts: one is screwed on the tripod, and is never removed. The top section is screwed into the tripod mounting hole of camera and can be left there. To mount camera on tripod, it is only



necessary to slide the two sections of Kam-Lok together. They lock automatically. To release, simply pull the chain release and slide the camera off. Manufacturer is General Photographic Supply Co., 136 Charles St., Boston, Mass.

• **NEW KODAGUIDES AVAILABLE:** Those handy pocket photographic exposure guides manufactured by Eastman Kodak Company have been completely redesigned and greatly improved for amateur photographers, both still and ciné. One is a Snapshot-and-Flash Kodaguide which incorporates a computer for outdoor picture taking by daylight and indoor photography by flash. The other is the Movie Kodaguide which provides compact, accurate and easy-to-understand data for exposure for both B&W and color films, indoors and out. The new Kodaguides, priced at 25c each, are available at most camera stores.


• **ADAPTER RINGS,** to fit new line of Bolex Kern-Paillard cine camera lenses are available from The Tiffen Mfg. Corp., 71 Beekman St., New York.

You can't skimp on studio lighting!

THERE'S NO SUBSTITUTE FOR CARBON ARCS
WITH **NATIONAL** CARBONS!
TRADE-MARK

● Studio lighting represents but a tiny fraction of the cost of making a movie. But it makes a tremendous difference in the quality of the final picture. Now is no time to jeopardize picture quality. Now is the time to put on better pictures—pictures with diamond-sharp detail, true color values, with terrific emotional appeal (obtainable only through proper lighting) — pictures that people will pay to see. There is no substitute for *CARBON ARCS* — with "National" carbons!

**ALWAYS BUY
"NATIONAL" CARBONS**



The term "National" is a registered trade-mark of

NATIONAL CARBON COMPANY

Division of Union Carbide and Carbon Corporation

30 East 42nd Street, New York 17, N. Y.

District Sales Offices: Atlanta, Chicago, Dallas, Kansas City,
New York, Pittsburgh, San Francisco

In Canada: National Carbon Limited, Toronto 4



TIL GABBANI, 20th Century-Fox cameraman is shown above in action under water with the new Aquaflex camera, shooting scenes for studio's production of "The Frogmen." This was one of few instances when camera was used without stabilizing wings and vertical fin.

ft. film capacity and interior pressurization. Equally important are the detachable wings and vertical fin which aid greatly in transporting and stabilizing the camera under water. These and other features will be described in more detail later.

Use of the Aquaflex in filming scenes for *The Frogmen* marks the first use of this camera in any Hollywood feature film production. Previously, it had been used by the U. S. Navy in producing a series of deep sea diver training films.

The studio elected me to handle the cinematography for the 2nd unit of *The Frogmen*, which journeyed to the Virgin Islands to shoot underwater scenes for the picture. Several weeks before we left for the islands, I had undertaken a number of practice sessions with the Aquaflex camera in the studio's swimming pool, getting the feel of it under water and learning the difference between underwater and above surface photographic essentials.

Continuing the trials after we reached the Virgin Islands, at first I used weights about my waist when submerging with the camera; however, I gradually found it easier to work without weights altogether after I became more accustomed

Under Water With The Aquaflex

New camera makes Hollywood debut recording scenes for "The Frogmen."

By TIL GABBANI

WHEN 20TH CENTURY-FOX STUDIO wanted to photograph important underwater action sequences for its production, *The Frogmen*, it chose the Eclair Aquaflex camera—the only motion


picture camera which seems to meet all the major qualifications for successful underseas photography. Among these are such important features as exterior manual controls, reflex viewfinder, 400

to the balancing and planing qualities inherent in the unusual design of the Aquaflex.


To successfully work with this camera under water, three important accessories




GABBANI, equipped with compressed air diving unit and face mask, makes ready to descend into ocean.




AQUAFLEX camera is lowered into water by tackle as Gabbani prepares to take it below surface.




UNDERWATER, the pressurized camera is buoyant, planes easily, thanks to wings, fin.



VIEW of Aquaflex camera housing out of water and the Eclair camera unit at left.



FRONT view showing plastic photographing port and the control gears inside, and air cylinder on top.



DIAL KNOBS at side control lens settings, motor speed and start and stopping of camera motor.

are required by the diver-photographer: (1) the French Aqualung—a self-contained compressed-air breathing system or diving unit; (2) a Squala face mask, and (3) a pair of Swimfins for the feet.

Over a year ago the Navy had given the Aqualung exhaustive tests and had found it to be a completely automatic and dependable diving unit.

Having a separate mouthpiece and a breathing hose, it is ideally suited for use with the Squala face mask. It is particularly ideal because it leaves the diver-photographer's hands free to operate the camera and his mind free to concentrate on his camera work.

Using this diving unit, I worked with the Aquaflex camera at a depth of around thirty feet. The water near that area of the Virgin Islands (St. Thomas) is extremely clear and perfect for underwater photography. There is a vigorous surge of the water at that depth, however, which made it impossible to make steady camera shots without aid of some sort of body support. To remedy this, we constructed and lowered to the ocean floor a heavy weighted platform with a rigid telescoping upright of tubular steel. To this upright was attached a metal piece in the shape of a U. When I slipped into this, it gave my body the necessary support against the ceaseless surge of the sea. The device thus enabled me to make smooth pan or static shots with the camera where action was to be filmed from the ocean floor.

Of course, other shots called for operating the Aquaflex while moving it through the water. Here the camera's unique arrangement of external wings and vertical fin proved its superiority for underwater photography. The fin and wings make it possible to guide the camera with one hand, using the other to aid in swimming. The wings provide a planing surface sufficient to keep the camera level or on any directed angle

under water. Thus, I could focus on my subject through the camera's reflex finder, kick my flippered feet and guide myself by tilting and banking the camera in a manner similar to a plane in the air.

The Aqualung, with its three cylinders of compressed air, enabled me to remain under water for periods as long as two hours. To keep an accurate check on the time while submerged, I wore a waterproof watch. However, the Aqualung provides an automatic indicator which signals when the compressed air supply is running low, and there is a 15-minute reserve supply that can be turned on when this warning occurs.

In order to escape the "bends," an ailment common to those engaged in deep sea diving, I made it a point always to take at least five minutes to rise to the surface after submerging for any length


of time. Surfacing too rapidly causes one's blood vessels, which contract under water, to expand too rapidly and take air into the bloodstream, with serious results.

The Eclair Aquaflex is the only camera manufactured specifically as a self-contained, motor-driven, underwater motion picture camera with external controls for the lens and motor, and having interior pressurization. It weighs approximately 107 pounds out of the water. One of its most favorable features is the fact it is entirely independent of air supply lines and electric cables leading to the surface. It is the only underwater camera that carries a maximum supply of 400 feet of film, and the only one affording quick reloading of film. After the camera has been surfaced, it requires less than four minutes to open it, reload it with film

(Continued on Page 155)



ON LOCATION scene during shooting of "The Frogmen" underwater sequences in Virgin Islands. Director gives frogmen last minute instructions before they go below to be photographed by cameraman Gabbani.



DEBBIE REYNOLDS, M-G-M starlet, presented Academy "Oscars" to Robert Surtees, A.S.C., (right) for achievement in color cinematography, and to William Milne Guthrie, British Consul attaché, who accepted for Robert Krasker, British cinematographer cited for black-and-white cinematography.

1950 Academy Awards

By ARTHUR E. GAVIN

HONORS FOR Academy cinematography awards were divided equally this year between Hollywood and Great Britain. Robert Surtees, A.S.C., who photographed M-G-M's *King Solomon's Mines* in Technicolor, received the Academy's 1950 award for Best Achievement in Color Photography. Robert Krasker, a member of the B.S.C. and who photographed *The Third Man* for Selznick Enterprise-London Films in England, was honored with the 1950 award for black-and-white photography. In his absence, the award was accepted by William Milne Guthrie of the British Consulate in Los Angeles.

For Robert Surtees, the award — his first "Oscar," incidentally — marks the fourth he has received for *King Solomon's Mines*. Following the picture's initial release in Los Angeles, The American Society of Cinematographers cited Surtees for its Picture Of The Month photographic award for November, 1950. Later, he was presented with the Look Award for best cinematography of the year, and subsequently received the Golden Globe Award of the Hollywood

Foreign Correspondents' Association for best color photography for 1950. Surtees thus becomes the first director of photography ever to win four cinematography awards for a single motion picture.

The 1950 Award for black-and-white photography is Robert Krasker's first "Oscar." Krasker is a protégé of Georges Perinal and a director of photography in British studios for several years. Earlier he had worked with several American directors of photography in London studios, including Charles Rosher and Harry Stradling. He has a wide reputation for truly imaginative camerawork, and it was the very uniqueness of his lighting and cinematography of *The Third Man* that attracted the Academy's membership which voted him that 1950 award.

Unique is a totally inadequate word to describe the cinematography of *King Solomon's Mines*, yet this picture will be remembered for a long time for its original and unparalleled camera treatment which translated to the screen the virgin, natural atmosphere of a little known land and yet never transcended

the personalities of the players or the very story itself. There is a fine balance between the pictorial and the action.

Receiving an Academy Award marks a very important milestone in the career of a director of photography, as it does for others in the industry similarly rewarded. It is generally considered that with an "Oscar" on your mantle, you have at last "arrived." However, Metro-Goldwyn-Mayer heads will tell you that Robert Surtees arrived a long time ago, and that his photography assignments each have proved an outstanding success. To his credit is the photography of such outstanding M-G-M film hits as *Intruder In The Dust*, *That Midnight Kiss*, *Big Jack*, *Act Of Violence*, *The Kissing Bandit*, *The Unfinished Dance*, *Our Vines Have Tender Grapes*, and others.


Surtees has been a director of photography in the major studios only since 1942. Previously he had been a first cameraman for various Hollywood independent producers and an assistant to some of the industry's top directors of photography, including Hal Mohr, Joseph Valentine, Jackson Rose and Charles Stumar. It was inevitable that he should eventually rise to their ranks. When he did, in 1942, he was immediately signed by M-G-M where he has been associated ever since.

Already Robert Surtees has staked a claim on the 1951 Color Cinematography



ROBERT SURTEES, A.S.C., prior to receiving "Oscar" for achievement in color cinematography for his filming of "King Solomon's Mines," already had received three awards for the same picture: the A.S.C. Picture of the Month award, which he is holding; the Look Award (plaque on mantle) and the Golden Globe Award for color photography (also on mantle).

Charles Rosher, A.S.C., *Annie Get Your Gun*, MGM.




All About Eve won the 1950 Academy Award for Best Picture Of The Year. Produced by 20th Century-Fox Film Corp. It was photographed by Milton Krasner, and, as indicated above, was among the black-and-white pictures nominated for a cinematography award. A considerable measure of credit for the success of this picture must go to Kras-

Also in Class 2 John Paul Livadary, Floyd Campbell, L. W. Russell and the Columbia Pictures Sound Department.

(Continued on Page 148)

An intense and extremely conscientious little man, whose cinematography career began in the motion picture studios of Europe, Planer came to Hollywood in 1939 and for years was a director of photography for Columbia Pictures. More recently he has free-lanced. That it has paid off is evidenced by his winning two Golden Globe Awards in a row.





TWO SHIPS were used by DeVinna in filming flight scenes for "Air Cadet"—an F80 Jet and a B45 Bomber. Above photo shows how camera was mounted in door of the B45.

CAMERA, mounted in the trainer version of an F80 Jet, is shown at right. This required addition of heavy dural bar bolted to frame of ship to resist terrific increase of gravity in flight.



Aerial Photography--1951

An old hand at filming air scenes, Clyde DeVinna surmounts some interesting problems photographing jet planes for U-I's "Air Cadet."

By CLYDE DeVINNA, A.S.C.

"THEY WENT THAT-A-WAY!"—a familiar statement credited as a stock dialogue phrase for early-day "westerns," has a brand new and most interesting application these days in the photography of jet planes. How aptly it fits occurred to me when filming air sequences for Universal-International's *Air Cadet*, a timely story about jet plane pilots and the men who train them. Behind a camera mounted in one of Lock-

heed's famous Shooting Stars and later in one of the even faster flying Boeing B45 jet bombers, I photographed jet trainers in all manner of maneuvers, including sensational aerial acrobatics.

Most of the exterior and aerial scenes were photographed at the U. S. Air Forces' three principal training bases. Open sequences showing the indoctrination and primary training of Air Cadets were filmed at Randolph Field, long


known as the West Point of the air. There the old reliable T6 trainer is used. We spent about ten days getting the necessary air shots and process plates required in the opening sequences of the picture. Lt. Earl Bryant, USAF, piloted the camera ship and did a magnificent job.

We then moved to Williams Air Force Base, near Chandler, Arizona, the locale of the majority of the story. Here we got our first look at the Lockheed F80, the formidable jet fighter which has set a magnificent record in Korea. Here Major Bruce Carr, USAF, was assigned to pilot the camera ship. Not only did his kindness and understanding of our problems make the task easier, but he contributed a great deal in ideas and suggestions in the many planning sessions held before shooting started. His remarkable camera knowledge and grasp of camera angles was a pleasant surprise,


(Continued on Page 150)




DeVINNA and jet pilots flew many hundreds of miles in search of a "buttermilk" sky against which to stage the jet plane formations. The cloud contrast was necessary to point up the planes' speed.



FILMING the Acrojets proved the most interesting and exacting part of this assignment for DeVinna. So precise is the handling of the jets in these maneuvers that wing tips are often not more than 18" apart.



MODULATION WRITER designed by Loren L. Ryder, which traces pattern of sound recording modulation on surface of magnetic film or tape as aid to editing. Tracing is made after tape is recorded.



SCRIBER, working on principle of ball point pen and shown at (1), scribes visual sound on magnetic film in the form of a varying amplitude ink line (2) in exact sync with the original modulation.

VISUAL SOUND on magnetic film has not only simplified editing, but it has made editing faster and less expensive. New techniques make the film immediately available, eliminate tedious mechanical procedures and improve the sound quality.

The basic techniques described in this article apply to all sprocket driven magnetic films—namely, 35mm, 17½mm and 16mm. For reasons of economy and convenience in handling, the writer recommends the use of 17½mm magnetic film to accompany 35mm picture and 16mm magnetic film to accompany 16mm picture. However, many completely satisfactory 35mm releases have been made from 16mm magnetic film, and 17½mm magnetic recordings are used to accompany 16mm pictures. In some cases and for certain steps in the procedure, the writer also recommends the use of ¼" magnetic tape synchronized by the Fairchild PicSync process (described in *American Cinematographer*, January and February, 1951).

The production example used in this article is a twenty-eight minute television show photographed on 35mm film and recorded on 17½mm magnetic film traveling at 90 feet per minute. It is assumed that production shooting will involve 10,000 feet of magnetic film, 5,000 feet of print takes and the show will edit down to 2,500 feet for release.

Upon completion of each day's shooting, the editor using a magnetic sound reader or magnetic Moviola, will break out and splice together all print takes. The technique at Ryder Services is to protect the original recording by making a ¼" synchronous tape duplicate recording which is stored and used for reprints. The next step is to run the roll of print

take original through the modulation writer. This scribes visual sound on the film in the form of a varying amplitude ink line in sync with the original modulation.

The editor synchronizes the picture daily to the previously spliced roll of scribed magnetic original. The picture and sound can then be edge coded and the film is ready for editing. The editing procedure, except for the manner of splicing, is the same as editing photographic film. The editorial cutting print is in all cases used for dubbing as it is

not subject to quality and dirt deterioration from handling.

In the case of telephone line recordings or rush work the protection and scribed film can be ready for editing within an hour following shooting. It is always available before picture daily. Reprints from the ¼" tape are immediately available by the simple procedure of electrical transfer. This eliminates the cost of a sound negative, negative processing, negative cutting and the dubbing print.

Shown below are comparative costs:

Old Photographic Negative-Positive Process				
10,000 ft. 35 mm. photographic sound negative	@	.0182	182.	
10,000 ft. 35 mm. photographic sound negative processing	@	.0175	175.	
5,000 ft. 35 mm. photographic sound contact print	@	.03728	186.	
2½ reels 35 mm. negative matching	@	20.	50.	
2,500 ft. 35 mm. photographic dubbing print	@	.03728	93.	
Total Cost				\$686.
Ryder Magnetic Film Method				
5,000 ft. 17½ mm. magnetic film out takes, film used 10 times	@	.0026	13.	
5,000 ft. 17½ mm. magnetic film print takes, film used 2 times	@	.013	13.	
5,000 ft. transfer to ¼" tape	@	.0055	28.	
4,170 ft. ¼" tape @ 15" per minute, tape used 10 times	@	.000264	1.	
5,000 ft. modulation writing	@	.0028	14.	
Total Cost				\$121.

(Continued on Page 156)

Editing Magnetic Sound

New modulation writer scribes sound track pattern on magnetic film or tape, making editing as simple as with optical sound tracks.

By **LOREN L. RYDER, A.S.C.**

Director of Recording and Engineering, Paramount Studio.



TYPICAL TV film production scene at the Jerry Fairbanks Studio in Hollywood, which is currently one of the busiest video film producers on West Coast. Here the famous Fairbanks' Multicam system is shown in use in which several cameras shoot scene at same time but each in a different camera movement.

Ten Basic Factors Of TV Film Production

A summary of proven procedures for making television films of top photographic quality.

By ARTHUR L. MARBLE*

SO MUCH OF WHAT has been written about the techniques of video film making must of necessity be tentative, for few scientific fields are changing so fast and so steadily as television. Following the relatively short period which comprises the history of the television film industry, survivors of this exploratory period agree that there are certain fundamentals now well established which should be followed in making a film for TV that will register satisfactorily on the home receiver. This is important not only to the men who photograph such films, but to the producers and the script writers of TV film productions.

*Producer, *Hollywood Sports Show* and *The Pride of Palomar* TV films.

If television has taught film makers nothing else, it has made it abundantly clear that there is a marked difference in many of the techniques that apply to photographing films for video compared to making movies for the theatre. The result of a recent analysis of the most advanced techniques followed by present day TV film makers is boiled down in the following brief summary which comprises ten guides for making films for television. The first five apply more to general principles, while the remaining five deal more with the specific items of television film production, especially the photography:

1—*The Special Film Requirements of Television* should be carefully studied

before production is started on any films for the medium. Television is enjoyed mostly by families in the informal atmosphere of the living room. Thus TV films should be geared, psychologically, more to the interests of the individual and small groups rather than to crowds, as in the theatre. The special requirements for video films may be studied in a number of ways: A—become a television fan yourself, along with the kiddies—but of course on a higher, more critical level; B—read everything you can in books and technical publications dealing with the subject; C—talk with experts in the field, including other cinematographers and television studio engineers; and D—make one or more short experimental TV films, based on your studies, and submit it to rigid criticism before undertaking full scale TV film production.

2—*Make Sure of Distribution Facilities:* There are a great many excellent motion pictures which have been made for TV that have never been given general release because proper distribution facilities were not available, or—to put it in other words—they lacked a commercial sponsor. Without a sponsor or a distribution tieup, a commercial TV film is a dead item. Too many producers have gone into the production of TV films without having a definite outlet for their product, with the result that their careers were cut short, often before their talents for the undertaking were given a fair chance to develop.



LESTER MANNIX, ace TV newsreel cameraman for WPIX, New York, readies his camera for a shot in corridor of Brooklyn courthouse. Mannix uses Filmo 16mm camera and latest type portable light unit.

3—"Movies For TV Are Just Good Movies," is a statement too often made and one not wholly true. While motion pictures, whether for the theatre or TV, are essentially only light and shadow on the screen, the basic principles of photography for theatrical films cannot be followed entirely for television. The technical problems of transmission inherent with TV have raised new problems of lighting and of camera handling in making TV pictures. There is an excellent discussion of the vital subject of lighting for TV films, as well as other related subjects of importance, in John H. Battison's new book, *Movies For TV*, (Macmillan).

4—*Professional Equipment Gives Best Results* in producing motion pictures for television. Experienced cinematographers will recognize the importance of this statement; but so much amateur camera work has marked the production of early TV films, that it is extremely important for those about to undertake TV film production as a career to understand its importance, too. Even though today the screens of most TV receivers are relatively small, screen size is expanding as new sets appear on the market. As screen size improves, it is imperative that the standards of TV picture quality improve also. Thus, anyone planning a future in the production of films for TV should consider only the very best camera, sound and lighting equipment for such productions to insure that film image and sound quality keep pace with receiver improvements.

5—*Knowledge of Screen, Stage and Radio Techniques* will go a long way to insure success for the TV film producer or cameraman. To a considerable degree, television combines all three of these theatre arts, and presents problems that can properly be solved only through knowledge of how to blend the techniques of the three fields in making a motion picture that resembles, yet differs as widely from the three close relatives, as a child may differ from its parents.

We cannot agree, therefore, with John Battison when he claims that "every person, once he has been in television a year or more, is somewhat of an expert if he has only common sense and powers of observation." Such "experts" may acquire some knowledge of the technique of making video films in one year, but to master the new art takes as long as it takes to master stagecraft, theatrical film photography or radio techniques—perhaps a lifetime. There is a difference between becoming a mere technician and a master of any field.

6—*16mm Film is Adequate* and in many ways preferable for television.

(Continued on Page 148)

Television Film Production

By LEIGH ALLEN

The Growing Use of Films on television is clearly indicated in the schedule of films released recently for the week of March 25th in Los Angeles, which included a total of 58 motion pictures which were televised during the following seven days by that area's seven TV stations. Most of the films were major features.

Richard Moore, manager of KECA-TV and director of television for ABC's western division, speaking before members of the American Society of Cinematographers March 4, said his company very soon will launch an extensive schedule of TV film production, using the facilities of its vast television center in Hollywood—the former Vitagraph Studios of silent picture days.

In direct contrast to views expressed earlier by other TV executives, Moore told the Cinematographers that there very definitely is a future for films in television, citing the success of film programs on ABC television stations. He also pointed out that at present 14 of the nation's top TV programs are regularly presented via motion pictures, and said that he was being very conservative in estimating that 5000 hours per year of TV films will be required in the not too distant future.

ABC's old Vitagraph lot is the scene of many "firsts" in motion picture history—the first "talkie" made in Hollywood was filmed there. Now it is about to undertake production of the first films for television made by a television studio.

Already, ABC has drawn upon the motion picture industry for the first of its technicians. Sometime ago it signed William O'Connell, A.S.C., as director of lighting.

Attributes and Characteristics of DuPont motion picture films, both 16mm and 35, adaptable to the peculiar needs of television are explained in a data sheet recently released by DuPont Photo Products Department. The company offers for picture production in 16mm its Type 330 rapid reversal panchromatic film. In 35mm, Types 104, 126 and 127 are recommended. For sound recording in 16mm, DuPont recommends its Type 802-A—comparable to Type 201 in 35mm. For release prints, Type 825-A (16mm) and Type 825-B (35mm) are the DuPont recommendation.



RESOURCEFULNESS is a prerequisite for TV newsreel cameramen, as demonstrated by this shot of Nicholas Sorrentino, WPIX TV newsreel cinematographer, filming scenes in hastily improvised morgue following eastern train wreck. A stepladder, and a tablecloth to protect his clothing, enabled Sorrentino to climb high in the rafters to secure dramatic shots from elevation free from the chaos and milling rescue workers on the floor.

Television in Mexico is making great strides, according to Benjamin Berg, U. S. Representative for Eclair-Paris, who recently returned from Mexico City. He reports that Don Emilio Azcarraga, one of principal owners of Churubusco motion picture studios in Mexico City, is presently constructing a TV studio and transmitter which will be one of the largest in the world, and entirely General Electric equipped. Azcarraga declared he expects to draw heavily on the motion picture industry for his technicians, because he feels that television is more closely related to motion pictures than it is to radio. His plans call for extensive use, and production of, films for his station's TV programs, which also will be made available to other Latin-American TV stations.

Camera Assignments: The following are some of the directors of photography who were engaged in photographing major television films in Hollywood during the month of March:

Harold Stine, Jerry Fairbanks Prodn.
Lester White, A.S.C., Jerry Fairbanks Prodn.

(Continued on Page 161)

Vital Tool Of Engineering Labs

Motion picture cameras record effect of stress and strains on critical apparatus and parts in laboratory tests, thus aiding engineers in designing more rugged equipment.

By RALPH LAWTON

UNITED STATES industrial progress has been greatly accelerated in recent years through the increasing application of motion picture photography in the analysis of motion—motion beyond the perception of human vision or motion so rapid it must be slowed to permit normal visual study.

For this specialized work, almost every type and make of motion picture camera, both 16mm and 35mm, has been employed. The preferred camera for this work, however, is the ultra-speed motion picture camera such as the Fastax or the Eastman High-Speed. Either will record pictures at 3,000 frames per second or more.

High speed motion pictures have greatly speeded up production because they have speeded up research, which invariably precedes all major industrial production. Thus, instead of waiting months for a test model of some apparatus or instrument to complete a field test or to be observed over a prolonged

period under normal working conditions, the stress and strains to which such equipment is normally subjected is reproduced in the engineering laboratory under the critical eye of a high speed motion picture camera. The film record is available for almost immediate study on the motion picture screen. Projected at normal speed, it affords a visual study not possible by other methods.

The demand for this type of production study has been greatly accelerated by our current defense preparations. Speed is so vital there is not the time for field tests. Manufacturers supplying our Armed Services with war equipment must know the answers now—and these answers are coming fast through the medium of motion pictures.


One interesting industrial application of motion picture photography is that employed in the Aircraft Department of the Westinghouse Small Motors Division at Lima, Ohio. The problem was how to study the effect of intense vibra-

tion on complex electrical equipment which the company makes for aircraft. It was solved by subjecting the equipment to approximate vibration conditions in the company's laboratory while a Fastax high-speed camera recorded, highly magnified, the complex electrical mechanism during the vibration period.


A small circuit breaker, which the company now has in production, was recently subjected to this vibration test. As shown in accompanying photos, this was mounted on a substantial base with free lateral movement. Suspension was found the best method of mounting. The circuit breaker was subjected to from 20 to 1,600 impulses a second from a special generator.

The principle of operation is as follows: By means of an electrical frequency oscillator, an alternating voltage is produced in the frequency range 20 to 1,600 cycles per second. This voltage is impressed on a vacuum tube amplifier whose output is delivered to the vibration motor, which converts electrical oscillations into magnetic vibration.

(Continued on Page 154)



WESTINGHOUSE Electric Corporation employs motion picture photography to aid its engineers in testing complex electrical equipment. Shown at right is engineer recording a vibration test with a Fastax high speed camera. Equipment being tested—a small circuit breaker for aircraft electrical systems—is shown above at (2) being subjected to high frequency vibration by generator (1). The action, recorded at high speed, is then screened in slow motion for engineers' study.



T W E N T Y - T H I R D A N N U A L A W A R D S

J. E. BRULATOUR, INC.

Congratulates

**The Directors of Photography
NOMINEES
Best Photography Color 1950**

CHARLES ROSHER, A.S.C.

Metro-Goldwyn-Mayer
"ANNIE GET YOUR GUN"

ERNEST PALMER, A.S.C.

Twentieth-Century Fox
"BROKEN ARROW"

GEORGE BARNES, A.S.C.

Paramount
"SAMSON AND DELILAH"

ERNEST HALLER, A.S.C.

Warner Brothers
"THE FLAME AND THE ARROW"

The Winner —

ROBERT SURTEES, A.S.C.

METRO-GOLDWYN-MAYER

"KING SOLOMON'S MINES"

OPERATIVE
CAMERAMEN

JOHN SCHMITZ - FRANK PHILLIPS

ASSISTANT
CAMERAMEN

PAUL KOONS - GENE POLITO

FOR

TECHNICOLOR

HENRY IMUS

Technician

ALFRED BAALAS

Assistant

ACADEMY OF MOTION PICTURE ARTS AND SCIENCES

TWENTY-THIRD ANNUAL AWARDS

Congratulations

to

ROBERT SURTEES, A. S. C.

Winner of the 1950 Academy Award

for Color Cinematography

"KING SOLOMON'S MINES"

Color by TECHNICOLOR

(Metro-Goldwyn-Mayer Pictures)

TECHNICOLOR

IS THE TRADE MARK OF

TECHNICOLOR MOTION PICTURE CORPORATION

HERBERT T. KALMUS, President and General Manager

ACADEMY OF MOTION PICTURE ARTS AND SCIENCES

TWENTY-THIRD ANNUAL AWARDS

Metro-Goldwyn-Mayer

Gratefully acknowledges

the recognition given

by the Academy

to

ROBERT SURTEES, A.S.C.

for Best Color Cinematography:

"KING SOLOMON'S MINES"

ACADEMY OF MOTION PICTURE ARTS AND SCIENCES

2 3 r d A N N U A L A W A R D S

MOLE-RICHARDSON CO.

Congratulates

ALL ACADEMY AWARD WINNERS

And Salutes For Outstanding Cinematographic Achievement

ROBERT SURTEES, A.S.C.

Best Color Photography — "KING SOLOMON'S MINES"

ROBERT KRASKER, B.S.C.

Best Black-and-white Photography — "THE THIRD MAN"



Again Mole-Richardson "Molinkies" and "Molarcs" have played a great role in the development of today's movie technique . . . contributing to the winning of two "Oscars" for outstanding achievement in photographic lighting.

• • •

MOLE-RICHARDSON CO.

HOLLYWOOD • LONDON • ROME

Photographic Lighting Equipment Since 1927

ACADEMY MOTION PICTURE ARTS & SCIENCES



The Members of

**AMERICAN
SOCIETY
of
CINEMATOGRAPHERS**

Congratulate

ROBERT SURTEES, A.S.C.

and

ROBERT KRASKER, B.S.C.

for

OUTSTANDING
ACHIEVEMENT
IN
CINEMATOGRAPHY

for

1950



WINNERS OF
ACADEMY
AWARDS

for

Best Color Photography

and

Best Black-and-White

Photography

Respectively





QUICKLY improvised reflector made of cardboard panel and sheet of aluminum foil aids Long Beach Cinema Club group in shooting a scene on location. The reflected light softens shadows on player's face.



PROFESSIONAL reflectors vary in style and manufacture. Shown here is a particularly rugged type made of sheet metal with tubular metal frame. One side is surfaced with aluminum paint, the other with metal foil.



REFLECTORS supply booster light where electric lights could not be used for the purpose—filming a scene on a lake. Shown are the standard type reflectors coated on both sides used by most Hollywood studios.

The Use Of Reflected Light

Reflectors become important accessories for the serious cineamateur seeking professional quality in his camera work.

By CHARLES L. ANDERSON

Supervisor Shoreview Productions, San Francisco

IN HOLLYWOOD, every exterior scene is shot with the aid of booster light. This is supplied either by reflectors, which reflect sunlight into the shadow areas of the scene or subject, or by booster lights, which are regular studio lights moved to the outdoor location to supply additional illumination to smooth out the shadows. Before studio lights were introduced for this purpose, the studios used reflectors; and even today reflectors are still used in remote locations where it is impractical to use studio lamps.

Eventually, every amateur movie maker adopts the use of reflectors in shooting scenes out of doors in sunlight. And he should, if he aims to achieve the

photographic quality of the professional; for there is no surer label of a neophyte's photography than shots of people made out of doors with heavy shadows obscuring facial features, or of scenes made in shade where the color is greatly distorted because of lack of proper light intensity, which sometimes affects the color temperature and consequently the final screen result.

Perhaps the reason more amateurs fail to employ reflectors is because they are not generally for sale as standard photographic equipment in camera stores. But this need not deter the ambitious movie maker, for he can easily construct his own. Basically, a reflector is a panel of

rigid material, such as plywood, wall-board, etc., coated with a highly reflective material such as aluminum foil, aluminum paint, flat white paint, etc. Its purpose is to reflect sunlight, and it should do this in a semi-diffused manner and without creating hot spots.

Many cine amateurs will start with nothing more than a sheet of white cardboard, perhaps for reflecting light into a subject's face for a closeup. The next step is to paint one side of a panel of cardboard with aluminum paint. Then, once results are noted on the screen, reflectors become a must for all future outdoor photography. It generally follows that

(Continued on Page 158)



IF YOU record your own sound track on magnetic tape or film, you can dub in the background music, using two recorders as did Louis Barnett for Cincinnati Movie Club's first sound film.



KIT OF sound effects records is available from Sears, Roebuck & Company, which affords wide range of musical fanfares, background music, you can rerecord for your sound films. Also included are numerous sound effects—all on 78 rpm discs.

Music For Films

How to meet the problems you will encounter when adding music to your first sound film.

By CHARLES LORING

MUSIC FOR FILMS becomes increasingly important to the advanced amateur as he progresses in serious film making. Any effort to present his films in a professional manner suggests the need for sound accompaniment of some sort, and music, of course, is the simplest of all these to manage. Besides, music does something substantial in lifting even a mediocre film to a higher plane of screen presentation.

As for the neophyte commercial film producer, music is all important, and because his efforts are commercial, there are certain problems confronting him that do not apply to the amateur when music is to be wedded to his films.

The amateur's problem is where to locate the desired music, whereas the man embarking on a commercial film venture is faced with the problem of royalty payments for music used or finding music in the public domain he can use plus the means of playing it for recording on his film at the least possible cost. These problems, then, along with others, are the subject of this article and it is hoped that film makers in both categories will derive some benefit from the information that follows.

From the very beginning of motion


pictures it was recognized that music played a most important part in setting the mood of a picture. It helped to build up the drama of situations and enhance emotional effects. Certain sure-fire compositions became associated with particular types of action to the point where they became musical clichés, but the effect on the audience was not to be minimized. "Hearts and Flowers" was certain to jerk more tears for a sad

sequence, and the ponderous menace of the "William Tell Overture" was a must for storm sequences.


In the years that followed, and especially with the introduction of sound-on-film, music became increasingly important to the motion picture. It became standard procedure to compose full length symphonies as background music to underscore feature films. Today some of the most original American music is composed for the screen by such outstanding composers as Max Steiner, Dimitri Tiomkin, Miklos Rosza, Victor Young, Aaron Copland, and Franz Waxman. Many of their scores have received enthusiastic acclaim in the concert halls.

Just as music has become essential to the feature film, producers of commercial, educational and documentary films have come to realize that well-tailored musical scores can add much to their product,

(Continued on Page 152)



IF YOU plan to edit your initial sound film, a sound reader and a synchronizer will be required. These are pictured left and right above respectively.



ly, are both homemade, and were used by Arthur H. Smith in editing his sound-on-film production, "The Mirror."

GORDON ENTERPRISES

CAMERAS

BELL & HOWELL EYEMO, Model K.....	\$275.00
BELL & HOWELL 70 DA 16mm. x 100' capacity.....	\$225.00
DE VRY, 35mm late model spring-wound or hand crank. BGL 50mm f/3.5 lens.....	\$95.00
UNIVERSAL MODEL C, 35mm, 3 lens turret, 100' Universal Model C magazine.....	\$125.00
JEROME B-2, 35mm x 200' capacity, 3 lens turret. Operates single frame, or 4 to 48 per second, or automatic time delays up to 30 min. Also operates as conventional camera.....	\$295.00
BELL & HOWELL, MORSE, LACKNER, AND FAIRCHILD, 16mm electric drive, 50' magazine, 16, 32, 64 frames. 35mm f/3.5 lens with viewer, portable power pack.....	\$79.50
DE BRIE LE PARVO (MODEL K). All metal 35mm. Provision for electric drive, pilot pin registration. Erect image viewfinder. "Through-the-lens" viewer. Complete with Zeiss Tessar 50mm f/3.5; Dallmeyer Kinematograph, 50mm f/1.9; Zeiss Tessar, 75mm f/3.5; Zeiss Tessar, 35mm f/3.5; 7 each 400' magazines, leather carrying case; leather case for camera.....	\$475.00
EASTMAN KODAK TRACKING CAMERA, electric.....	\$325.00
BELL & HOWELL EYEMO "K", with electric motor. For instrument panel recording.....	\$375.00
MISSILE TEST CAMERA, with eight Zeiss Tessar lenses, 9.5cm, f/3.5.....	\$925.00
MITCHELL AND AKELEY THEODOLITES, New.....	Quotation on Request
BELL & HOWELL FILMO AUTOLOAD.....	\$125.00
BELL & HOWELL, Filmo 141A, 16mm.....	\$105.00
BELL & HOWELL, 35mm Standard. Rebuilt to Precision Standards by Cunningham.....	\$2,875.00
BELL & HOWELL EYEMO, "71 Q", Turret, 35mm.....	\$875.00

CAMERA MAGAZINES

AKELEY 200'.....	\$45.00
BELL & HOWELL 200'.....	\$60.00
BELL & HOWELL 400', 35mm, metal.....	\$68.50
BELL & HOWELL 400', 35mm, comp.....	\$54.50
BELL & HOWELL 1000', 35mm.....	\$115.00
MITCHELL 400'.....	\$75.00

MOVIOLAS

MOVIOLA, 35MM, MODEL D. New.....	\$325.00
MOVIOLA, 35MM, MODEL D. Recond.....	\$265.00

MITCHELL LENSES IN MOUNT

B & L BALTAR, 25mm f/2.3.....	\$145.00
COOKE SPEED PANCHRO, 25mm f/2.....	\$165.00
ANASTIGMAT, 32mm f/6.3.....	\$45.00
B & L RAYTAR, 40mm f/2.3.....	\$135.00
TAYLOR-HOBSON-COOKE, 40mm f/2.....	\$95.00
GOERZ HYPAR, 1 5/8" f/3.5.....	\$48.00
CARL ZEISS SONNAR, 50mm f/1.3.....	\$195.00
BAUSCH & LOMB, 50mm f/2.7.....	\$67.50
DALLMEYER, 50mm f/1.9.....	\$95.00
TACHAR-ASTRO, 50mm f/2.3.....	\$85.00
BALTAR, 50mm, f/2.3.....	\$165.00
HOBSON COOKE KINIC ANASTIGMAT, 75mm f/2.....	\$90.00
TAYLOR-HOBSON-COOKE, 4 1/2" f/2.5.....	\$95.00
DALLMEYER DALLON, 14" f/5.6 telephoto.....	\$225.00

MITCHELL VIEWFINDER OBJECTIVES.....	\$45.00
CARL ZEISS SONNAR, 5 cm f/2.....	\$175.00

BELL & HOWELL EYEMO LENSES IN MOUNT

MEYER PRIMOTAR, 30mm f/3.5.....	\$45.00
COOKE, Cinema, 47mm f/2.5.....	\$120.00
DALLMEYER, 10" f/5.6.....	\$150.00
CARL ZEISS 16.5 cm, focusing mount.....	\$125.00
COOKE KINIC 2" f/2.8, focusing mount.....	\$75.00
EYEMAX 2" f/4.5.....	\$29.50
EYEMAX 6" f/4.5.....	\$78.00
EYMAX, TELEPHOTO, 10" f/4.5.....	\$135.00
SPEED PANCHRO, 24mm f/2 Foc. Mt.....	\$195.00
SPEED PANCHRO, 1" f/2, Foc. Mt.....	\$195.00
EYEMAX, WA, 1" f/4.5.....	\$29.50
SPEED PANCHRO, 35mm f/2, Foc. Mt.....	\$195.00
EYEMAX, 2" f/2.8, Focusing Mount.....	\$80.00
SPEED PANCHRO, 75mm f/2, Foc. Mt.....	\$225.00
CINEMAT, 100mm f/2.9, Foc. Mt.....	\$149.50
COOKE TELEKINIC, 6" f/4.5, Foc. Mt.....	\$165.00
EYEMO OBJECTIVE, 1".....	\$13.25

EYEMO OBJECTIVE, 2".....	\$13.25
EYEMO OBJECTIVE, 3".....	\$13.50
EYEMO OBJECTIVE, 6".....	\$15.00

16MM AND 35MM EQUIPMENT

POLAROID VARIABLE FILTER, 3" diameter in leaf-type mounting bracket.....	\$5.00
PORTABLE REFRIGERATED FILM STORAGE VAULTS, 9 cubic ft. 30" x 60" x 36". 110 volt, complete with compressor and motor.....	\$285.00
TEMPRITE DEHUMIDIFYING FILM DRYER, 4' to 8' per minute; two H.P. refrigeration unit, 110-120 volt, 38" x 24" x 82".....	\$775.00
BELL & HOWELL EYEMO IDENTIFICATION RECORDER AND TITLER, 35mm. Facilitates titling and identification of film in the field or on location.....	\$8.95
BELL & HOWELL SHIFTOVER for Animation stand or Optical Printer.....	\$175.00
EYEMO CARRYING CASE, Model K.....	\$12.50
SIMPLEX SOUND PROJECTOR, 35mm sound projectors and rectifiers, Model SP. Projection lens, B & L 5.5". Per pair.....	\$1100.00
(Many other types of Simplex, Holmes, de Vry, Bell & Howell, Ampro, Victor, RCA, and other 35mm and 16mm projectors in stock.)	
ASHCROFT ARC LIGHTHOUSE (THEATRE MODEL SUPREX), 30 to 65 amps with 14" glass reflector, per pair.....	\$175.00
STRONG ARC LIGHTHOUSE (THEATRE MODEL), 15 amp, per pair.....	\$150.00
FILM TRANSPORT CASES, vulcanized fibre, with reinforced corners.....	
16mm x 800'.....	\$.98
16mm x 1600'.....	\$1.98
35mm x 800' (Steel).....	\$1.45

PROJECTION SCREENS: A complete line of beaded and plain screens with and without stands. Quotations on request.

MITCHELL VIEW FINDER.....	\$295.00
ADAPTER MOUNT, NATIONAL CINE, to adapt above to pancake Akeley.....	\$65.00
MITCHELL COMBINATION MATTE BOX and sunshade.....	\$275.00
NATIONAL CINE 12-VOLT BATTERY CASE, (PH403).....	\$14.00
MITCHELL ACCESSORIES CARRYING CASE, compartmented for view finder, matte box, motor, extra equipment.....	\$29.50
MITCHELL MOTOR CARRYING CASE.....	\$14.00
MITCHELL MAGAZINE CARRYING CASE for two 1000' magazines.....	\$20.00
BELL & HOWELL MAGAZINE CASE, for two 400' magazines.....	\$15.00
NEUMADE FILM CLEANING MACHINE, electric (specify 16mm or 35mm).....	\$225.00
ART REEVES SENSITESTER.....	\$275.00
EK FILM WAXING MACHINES, electric.....	\$275.00
BELL & HOWELL SHIFTOVERS, (alignment gauges), mfd. by Camera Equipment Company. Chrome finish. New.....	\$48.50
BLUE SEAL 35MM SOUND RECORDING UNIT, galvanometer type with two microphone pre-amplifiers, (Type 26A), 10" monitoring speaker, mixer (Type 88A), and recording head. Variable area. Accommodates 1000' B & H or Mitchell magazines.....	\$650.00
B & H BIPACK MAGAZINE ADAPTER.....	\$135.00

ANIMATION STANDS

NATIONAL CINE LABS. ANIMATION STAND.....	\$4750.00
ROTSOPE PROJECTOR, Acme.....	\$2350.00

TRIPODS AND DOLLIES

AKELEY GYRO TRIPOD. Standard height, with bowl. For heavy cameras.....	\$125.00
AKELEY STANDARD TRIPOD AND HEAD, with friction control for pan and tilt, standard height, complete. For heavy cameras.....	\$185.00
AKELEY STANDARD TRIPOD. Standard height, less head. For heavy cameras.....	\$85.00
AKELEY BABY STANDARD TRIPOD. Less head. For heavy cameras.....	\$85.00

AKELEY BABY GYRO TRIPOD. Less head. For heavy cameras.....\$85.00

AKELEY GYRO TRIPOD AND HEAD. Standard height, with gyro movement for smooth pan and tilt. Complete. For heavy camera.....\$495.00

BELL & HOWELL PROFESSIONAL TRIPOD. Complete with head and pan handle.....\$98.50

MAYFIELD TRIPOD. Standard height, all metal, telescoping legs.....\$15.95

BELL & HOWELL GEARED HEAD TRIPOD. Professional f/heavy camera.....\$275.00

SALTZMAN TRIPOD DOLLY (MODEL 500 M.B.T.). Heavy-duty. Collapsible extensions extend from 20" to 36" spread. Mounted on ball casters. Three leveling screws for locking dolly in position.....\$65.00

PROFESSIONAL, JR., Tripod and Head.....\$165.00

PROFESSIONAL HI-HATS. Mfg. by Camera Equipment Co.....\$22.50

RIES TRIPOD, Model A, standard height, friction control for pan and tilt.....\$65.00

FILM DEVELOPING MACHINES

PATCO 16mm or 35mm x 200' capacity, 110 volt. Complete with motor, three stainless steel tanks and reel assembly.....\$95.00

MORSE G-3 8mm, 16mm or 35mm x 100' capacity, daylight tank. All processing and reversal operations in one tank.....\$18.50

CAMERA EQUIPMENT COMPANY DAYLIGHT TEST STRIP DEVELOPER, solution tanks (3 each), adapter for Mitchell or Bell & Howell magazines to change box; arm sleeves for processing test strips.....\$29.50

HOUSTON AN-KIA (Model 1) Late version of Houston KIA.....\$3950.00

HOUSTON K-1A (SIMILAR TO MODEL 11) 16mm automatic film processing unit. Each step controlled for proper exposure and solution temperature; self-contained unit requiring no extra equipment; processes black and white, negative, positive, or reversal at speeds up to 20' per minute. Like New.....\$3,450.00

HOUSTON 16mm COLOR MACHINE, Model ASCM, Color, positive, negative, and reversal. Fifteen feet per minute reversal. Thirty-five feet per minute positive and negative.....\$5,950.00

HOUSTON 35mm FILM DEVELOPER. Complete film processing unit, the standard of all 35mm automatic developing outfits. Processes black and white, negative, and positive at speeds up to 90' per minute.....\$10,750.00

DEEP TANK for processing 16mm or 35mm film, two racks per tank, accommodates 200' of film each; Grade 1 select Cypress.....\$35.00

STINEMAN DEVELOPING OUTFITS, 200' capacity.....\$97.50

FILM DRYERS

STINEMAN 16mm or 35mm collapsible drying rack; 4' x 4' set up; capacity 200'. Ambient air dryer. New.....\$8.50

MORSE A-8 (M-30) for 8mm, 16mm or 35mm x 50' capacity. Hand-operated by winding film onto areated collapsible reel. Ambient air dryer. Complete with carrying case.....\$16.50

REELS AND CANS

Reel or can 16mm x 400 ft. used.....	\$.50
Reel or can 16mm x 800 ft. used.....	\$1.30
Reel or can 16mm x 1200 ft. used.....	\$1.45
Reel or can 16mm x 1600 ft. used.....	\$1.65

SPOTLIGHTS

OTTO K. OLSON CRECO, 2000 watt Mogul Bi-Post base 18" spotlight, less lens.....\$28.50

CAMERA AND ANIMATION MOTORS

ACME ANIMATION MOTOR.....	\$475.00
BELL & HOWELL 12-VOLT DC Eyemo Motor.....	\$90.00
BELL & HOWELL 12-VOLT DC Standard Studio Camera Motor.....	\$295.00
BELL & HOWELL 115-V. A.C.-D.C. Eyemo Motor.....	\$125.00
MITCHELL 12-VOLT DC variable speed motor.....	\$295.00
MITCHELL 220-V Synchronous Motor.....	\$475.00
WALL A9 Camera Motor, 12 & 24-V. D. C.....	\$275.00

World's largest inventory of aerial photographic and motion picture equipment. You are cordially invited to visit our showrooms, optical shop, and precision machine shop.


(MORE GORDON SPECIALS ON PAGE 154)

All equipment new or reconditioned. Calif. purchasers add 3% sales tax. All prices FOB. Please send cashier's check or MO with order; 25% dep. on COD's.

GORDON ENTERPRISES
5362 NO. CAHUENGA, NORTH HOLLYWOOD, CALIF.

Cable: GORDENT
Teletype: D A C
Phone: STanley 7-5267

**At Precision today
we're processing
the finest
EDUCATIONAL FILMS
for nationwide
showings**



**For your 16 mm. educational
film requirements
use Precision . . .**

- Over a decade of 16 mm. industrial film printing in black and white and color.
- Fine grain developing of all negatives and prints.
- Scientific control in sound track processing.
- 100% optically printed tracks.
- Expert timing for exposure correction in black & white or color.
- Step printing for highest picture quality.
- Special production effects.
- Exclusively designed Maurer equipment.
- Personal service.

... no wonder more and more
of the best 16 mm. films today
are processed at . . .

PRECISION

FILM LABORATORIES, INC.

21 West 46th St.,
New York 19, N.Y.
JU 2-3970

ACADEMY AWARDS

(Continued from Page 135)

ment were cited for the development of a Multi-Track Magnetic Recording System.

Loren L. Ryder, A.S.C., and the Paramount Studio Sound Department won the third award in this class for the first studio-wide application of magnetic sound recording to motion picture production.

There were no awards in Class 3.

In capturing the Academy 1950 cinematography awards Robert Surtees and Robert Krasker now add their names to a long list of "Oscar" winners for cinematography which began in 1928 when Charles Rosher, A.S.C., and Karl Struss, A.S.C., won the first awards presented by the Academy for photographic achievement in the Academy's initial presentation ceremonies. This was for the photography of *Sunrise* on which Rosher and Struss collaborated. From that date, other "Oscar" winners have been as follows:

- 1929—Clyde DeVinna, A.S.C., *White Shadows of The South Seas*.
- 1930—Joseph T. Tucker and Williard Van der Veer, *With Byrd at The South Pole*.
- 1931—Floyd Crosby, A.S.C., *Tabu*.
- 1932—Lee Garmes, A.S.C., *Shanghai Express*.
- 1933—Charles Lang, A.S.C., *Farewell To Arms*.
- 1934—Victor Milner, A.S.C., *Cleopatra*.
- 1935—Hal Mohr, A.S.C., *A Midsummer Night's Dream*.
- 1936—Tony Gaudio, A.S.C., *Anthony Adverse*.
- 1937—Karl Freund, A.S.C., *The Good Earth*.
- 1938—Joseph Ruttenberg, A.S.C., *The Great Waltz*.
- 1939—Gregg Toland, A.S.C., (Black-and-White) *Wuthering Heights*. Ernest Haller, A.S.C., and Ray Rennahan, A.S.C., (Color) *Gone With The Wind*.
- 1940—George Barnes, A.S.C., (B&W) *Rebecca*. Georges Perinal, (Color) *The Thief of Bagdad*.
- 1941—Arthur Miller, A.S.C., (B&W) *How Green Was My Valley*. Ernest Palmer, A.S.C., and Ray Rennahan, A.S.C., (Color) *Blood and Sand*.
- 1942—Joseph Ruttenberg, A.S.C., (B&W) *Mrs. Miniver*. Leon Shamroy, A.S.C., (Color) *The Black Swan*.
- 1943—Arthur Miller, A.S.C., (B&W) *The Song of Bernadette*. Hal Mohr, A.S.C., and W. Howard Green, A.S.C., (Color) *The Phantom of the Opera*.
- 1944—Joseph LaShelle, A.S.C., (B&W) *Laura*. Leon Shamroy, A.S.C., (Color) *Wilson*.
- 1945—Harry Stradling, A.S.C., (B&W) *The Picture of Dorian Gray*. Leon Shamroy, A.S.C., (Color) *Leave Her To Heaven*.
- 1946—Arthur Miller, A.S.C., (B&W) *Anna And The King of Siam*. Charles Rosher, A.S.C., Leonard Smith, A.S.C., and Arthur Arling, A.S.C., (Color) *The Yearling*.
- 1947—Guy Green, (B&W) *Great Expectations*. Jack Cardiff, A.S.C., (Color) *Black Narcissus*.
- 1948—William Daniels, A.S.C., (B&W) *Naked City*. Joseph Valentine, A.S.C., William Skall, A.S.C., and Winton Hoch, A.S.C., (Color) *Joan of Arc*.
- 1949—Paul Vogel, A.S.C., (B&W) *Battleground*. Winton Hoch, A.S.C., (Color) *She Wore A Yellow Ribbon*.

The Awards Presentation of the Academy of Motion Picture Arts and Sciences is an annual affair. Its purpose is to hold up to the artists and technicians of the world's motion picture industry a genuine incentive for achievement and improvement. The gold "Oscars" they receive as a result of their achievements have come to be recognized as the symbol of the world's best attainments in the science and art of motion picture production.

TEN BASIC FACTORS

(Continued from Page 139)

While there are undoubtedly solid arguments for preferring 35mm for TV films, 16mm comes much nearer to being standard for that purpose, and of course is considerably cheaper. Also, more than two-thirds of the nation's television broadcasting stations have 16mm projection equipment only. A recent Weed survey disclosed that while 105 operating TV stations presently have 16mm film projection equipment, only 27 have also 35mm machines. Most video engineers agree that 16mm films of maximum quality will give results on television equal to the best quality 35mm films on the present TV band width of 4 megacycles. Very few, if any, engineers sitting before their receivers can guess correctly the width of the film being televised. This, of course, applies to films made expressly for TV—not old motion pictures.

7—*Maximum Detail in Halftones A Must*: While it is true in the present stage of development of TV, that extremely fine detail is lost in the lightest and darkest areas of scenes, negatives should be exposed to obtain the maximum of detail wherever possible; otherwise some figures and objects in the scene may appear as silhouettes on the receiver screen.

Television film photography does not require violation of any of the established rules for good photography, including those for composition and exposure, but special handling of the camera is necessary in making films for this medium. For instance, shooting into the sun may produce some striking scenes for theatre films, but the result would be poor indeed on TV. Dark scenes, such as those picturing a burglar working in semi-darkness, dramatic though they might be on a theatre screen, would probably appear as a dark blot on the TV receiver.

8—*Contrast Between Main Subject and Background Important*: Main objects or important subjects will receive stronger pictorial emphasis and the effect of greater depth will be achieved, if the cameraman will aim for ample contrast between subject and background. The opposite extreme of this desirable quality is the type of picture often seen on television, where the subject appears to merge into the background. To the video viewer, this result is both confusing and hard on the eyes. The desirable difference in tone between objects and background or in areas of the background itself is sometimes referred to as *checker-board contrast* in which the overall pattern is alternately light and dark areas.

9—*Quick Fades or Lap Dissolves Best for Transitions*: Whenever a fade-out appears on the theatre screen it goes dark rather gradually. But for television fadeouts and fadeins made like those for theatrical films leave the TV screen blank for so long, viewers may think something has gone wrong with their set. For this reason, the modern technique for TV films is to make the fade almost a flash—not more than one-half the accepted length for feature films.

10—*Close Cooperation With Film Laboratory* is highly important in order to obtain prints of your films that are best suited for television. First of all, it is important that only those laboratories experienced in TV film production develop and print your television films. Such labs will know, for example, that the average film for TV should be printed one or two points lighter in density than films made for the theatre. There is a tendency in the transmission of TV films to reduce detail in the whole scene if part of it is extremely dark.

"Your new 16 mm Auricon-Pro Camera has fulfilled our best expectations as the ideal sound-on-film camera...has given 100% service without a single check during the first 30,000 feet which we shot."

Norman Alley
National Television Newsreels
Hollywood, California

"Did the first tests making some publicity films with Cine-Voice and the results are marvelous."

E. Van Calck
Berchem-Anvers Belgium

"We have been using Auricon equipment for the past year by renting. We are now in the market to purchase equipment and we prefer Auricon."

Don Cooper Photography
Detroit, Michigan

"Auricon Cine-Voice Camera is sensational... found far above average, extremely simple to operate, completely portable... should be in every home having a sound projector."

H. E. Hanson
Harold's Photography
Sioux Falls, S. Dakota

"I own one of your new Auricon 16 mm sound recording Cameras. It has been giving me very good service and I certainly enjoy using it."

A. M. Pate, Jr., Vice President
Panther Oil and Grease Mfg. Co.
Fort Worth, Texas

"I have used Auricon equipment and have been very well satisfied and pleased with the results obtained."

R. Duhem
Duhem Motion Picture Mfg. Co.
San Francisco, California

"Since receiving the Cine-Voice Camera several weeks ago we have been using it daily in our television work. Frankly it's a very good camera..."

John Faber
WAFM-TV Birmingham, Alabama

"I have completed the initial tests with the Auricon Cine-Voice and I am pleased beyond words."

Lester E. Bernd
Wellsley Hills, Mass.

"We have handled considerable film that has been passed through the Auricon for different ones and...these results have been very satisfactory."

Rudolph Pfeiffer, Sales Director
Kin-O-Lux New York City

"I would like to compliment your organization on the Camera itself. We have taken over 50,000 feet of film with the Auricon, and have had perfect results..."

Don J. Pottratz
WTCN-TV
Minneapolis - St. Paul, Minnesota

"Our camera equipment, includes your Auricon-Pro Camera from which we have had excellent results."

James Alopandis
Hellenic American Pictures Co.
Chicago, Illinois

"I had the pleasure of using the Auricon dual-phono Turntable you sold to the Chicago Natural History Museum...very flexible and efficient turntable."

Mrs. Lillian Gray
Chicago, Illinois

"The Department of Agriculture has tested the Auricon and it is recommended for use."

Wm. A. Campbell, Chief Audio-Visual Aids
Veterans Administration Hospital
Topeka, Kansas

"...Heard a sample of the Auricon sound-on-film...and it was all that could be desired."

Holly Smith
Carolina's Photo Center
Charlotte, North Carolina

AURICON?

"We have been using your Auricon-Pro Camera for the past few months and are delighted with the results. We find the Camera perfectly adapted to our needs and are especially happy with the quality of the sound."

Herb A. Lightman, Prod. Director
KOTV-Cameron Television Tulsa, Oklahoma

"We tested this Cine-Voice Camera and found it to be superb. It was promptly sold and we would appreciate immediate shipment of another unit."

Paul Rubenstein
Tampa Home Movie Center
Tampa, Florida

"Have had the pleasure of seeing the Auricon...it's sensational."

John R. Davis
Duffy's
Clovis, New Mexico

"Being a satisfied user of the Auricon-Pro Camera in our Television Motion Picture Department we are interested in your new camera, the Cine-Voice."

F. K. DeBeaubien, TV Studio Supervisor
KSTP-TV
St. Paul and Minneapolis, Minnesota

"The Auricon-Pro which we have been using on Television work has been giving excellent results."

George C. Coon, Mgr. Photo Dept.
Creative Advertising
Cincinnati, Ohio

"The Cine-Voice was sold to a very happy customer 30 minutes after we received it."

C. M. Hadden
Hadden Films Louisville, Kentucky

"I took home a Cine-Voice Camera and made a test film and was very pleased with the results. The sound track was excellent and the picture was very steady."


M. Winn
Central Camera Co. Chicago, Ill.

Write for YOUR free AURICON Equipment Catalog


RCA LICENSED **Auricon** Hollywood GUARANTEED ONE YEAR

BERNDT-BACH, Inc.
7381 Beverly Blvd., Los Angeles 36, Calif.

MANUFACTURERS OF SOUND-ON-FILM RECORDING EQUIPMENT SINCE 1931



MORE CONVENIENCE with LESS EFFORT



PAR 400' Magazine for Cine Special

Consider the convenience of having 400 feet of film available for instant use, as well as the savings of time and effort formerly devoted to changing 100-foot film chambers, and you can readily see why the PAR 400-foot magazine is a "must" for your Cine Special.

The PAR 400-foot magazine is operated by the camera spring motor with a PAR spring take-up, or by an electric motor drive. It is reversible for backwinding, features a footage counter, and permits normal use of the 100-foot film chamber. Both daylight loading spools and film on cores of any size up to 400 feet can be used. The entire magazine is quickly and easily removed, and can be used with the PAR Reflex Finder Magnifier.

Write for prices and complete information on equipping your Cine Special with a PAR 400-foot magazine.

PAR PRODUCTS CORP.

926 N. Citrus Ave. Hollywood 38, Calif.

RUBY CAMERA EXCHANGE

Rents . . Sells . . Exchanges

Everything You Need for the PRODUCTION & PROJECTION

of Motion Pictures Provided
by a Veteran Organization
of Specialists

35 mm. . . . 16 mm.
Television

IN BUSINESS SINCE 1910

729 Seventh Ave., New York 19, N.Y.
Tel: Circle 5-5640
Cable Address: RUBYCAM

TV GROUND GLASS

for Mitchell Standard, N. C., and Bell & Howell 35mm. cameras. Showing TV alignment—outlining active receiver area, TV projection area and Academy (sound) aperture.

Write For Details

CAMERA EQUIPMENT COMPANY
1600 Broadway New York, N. Y.

If your project consists of producing a TV newsreel film, your association with a laboratory will be governed by its ability to render speedy processing and delivery of prints.

The preceding ten points are intended merely as a guide to the important steps in the production of television films. It is not intended that they should be the "directions on the label" which, once read, magically prepare the reader for the exacting job of making a film for television. More thorough instruction and guidance may be had by reading the many informative books which have only recently been published on the subject of television. Among these, in addition to Battison's *Movies For TV*, referred to above, are *Television Programming and Production*, by Richard Hubbell, (Rinehart & Co., Inc.), and *Here Is Television*, by Thomas H. Hutchinson, (Hastings House). All contain much data of importance to both the cinematographer and the producer of television films.

AERIAL PHOTOGRAPHY

(Continued from Page 136)

and at first a little puzzling. Later, I learned that during World War II his guns had spelled finis for 23 German planes. After all, there isn't much difference in the knowledge and tactics required to keep the other fellow in your sights, whether you're using a gun or a camera.

The camera ship was a T33, the trainer version of the F80 jet fighter modified to provide two seats but retaining every characteristic of the latter. The mounting of the camera in this plane presented several problems: space is decidedly limited and the problem of mounting the camera to cope with all the mechanical requirements and still remain operable was considerable. Stanley Horsley, A.S.C., head of the studio's photographic effects department, and Bill Clothier did considerable pioneering work on the problem.

The mount, installed in the rear compartment, consisted of a heavy dural bar securely bolted to the frame of the ship. To this was fitted a sliding mount providing a quick shift of the camera from one side of the ship to the other. This arrangement served quite well for most of the scenes, but the mounting used when making straight ahead shots was somewhat more involved. Here the space available is even more restricted. In addition there was the problem of having to shoot through the three-inch bullet-proof glass which forms the front part of the canopy. We found it necessary

to suspend the camera in an inverted position in order to bring the lens sufficiently near the canopy glass. In addition, it was necessary to allow about 40% increase in exposure to compensate for the light absorption of the glass.

The principal handicap in all of the aerial photography, however, was what technical men call the "G forces"—the sharp increase in the effect of gravity which occurs when doing maneuvers at high speeds. This added stress often amounts to seven or eight times the normal pull of gravity. Thus a person normally weighing 180 pounds becomes the equivalent of 1,260 pounds in a fast dive in a jet plane. The camera normally weighing about 60 pounds must be securely mounted to withstand a pull of some 420 pounds. Operating and adjusting the camera under the same conditions also becomes a problem; raising one's arm requires tremendous effort.

I wore the usual flyer's gear including a sturdy crash helmet to protect my head when sharp gyrations of the ship tossed me about. Another important item was the oxygen mask. Much of our flying was done at altitudes of from ten to thirty thousand feet.

As usual, when tough assignments come along, the sturdy and old reliable Bell & Howell standard 35mm camera was also chosen for this assignment. Here the very latest in modern engineering, exemplified by the Lockheed jet aircraft, and the Bell & Howell camera, engineered and put into production 37 years ago, formed a perfect team. Mechanically, each did its part without a hitch.

The aerial production shots and process plates required careful preparation and skillful planning in order to preclude occurrence of accidents. It is a credit to all concerned that we put in some 100 hours of flying jet aircraft without a single serious mishap.

The action highlights of the picture occur in the sequences depicting the Acrojets displaying a combination of flying skill and equipment, which is sensational, to say the least. Acrojets are acrobatic jet planes, or more properly, jet planes flown in acrobatic maneuvers by crack Air Forces' flyers. Four of the F80 jets are flown in close formation through an intricate set of maneuvers. In some instances scarcely 18 inches separate wing tips from those of adjoining planes. Such maneuvers are not conducted to show off flyers' skills, but are a specialized form of training in precision flying to teach perfect coordination and team work.

The Acrojet team at the Williams Base performed for a sequence in *Air Cadet*. All the pilots are top flyers.

Leader of the group is Capt. Michael Smolen. He acted as technical advisor on the production.

Not all of the photography of the jet planes was done from the T33 camera ship. We also used a B45 bomber. This is a four-jet giant which is even faster than the F80 fighter. The side door of this ship was removed and a regular freehead mounted on the floor near the open door. The air blast was partially alleviated by the spoiler flaps just forward of the opening. These are normally used only in case of bail-out. Due to the additional hazard presented by the open door, a safety harness was devised which held me securely within the ship. It was quickly detachable in case there was sudden need for ditching the plane.

Weather conditions were an important factor in filming the jets in action. We discovered early that in shooting these fast planes against clear blue sky, there was not sufficient contrast between the two to make the planes sufficiently distinguishable on the screen. What we needed for most satisfactory results was a "buttermilk sky"—a mottled cloud formation.

To point up the terrific speed of the jets, it was necessary to have high clouds in the sky for pictorial contrast. Even though each second of flight takes a jet through 80 feet of space—top speed is approximately 500 miles per hour—this is not evident when the plane is seen against clear skies.

Clear days with empty, blue skies prevailed at the Williams location; so after we completed all scenes which had to show the terrain adjacent to Williams, we checked national weather reports in order to locate weather conditions in which the right cloud formations prevailed. Such, we were informed, could be found in Florida. So we left immediately for Tyndall Field, near Panama City, Florida. The six jets made the trip in exactly three hours and 30 minutes flying time, which is covering a lot of country rather fast.

To accent the speed of the planes, we altered the camera speed in many instances. Depending on angles, the distances between the ships and the clouds and the relative speed of the camera ship had to be taken into consideration, with the result that camera speed often varied from 8 to 48 frames per second.

Clouds are elusive things, even in Florida, and we often found ourselves chasing them all over the state. Once on a trip in search of clouds, we were looking down at a great expanse of water which I took to be the Gulf of Mexico. Our pilot, Major Carr, informed me that we were looking down into the Atlantic Ocean—an example of how

INTRODUCING...



Fairchild

RECORDING EQUIPMENT

SYNCHRONIZED

1/4" MAGNETIC TAPE

for

MOTION PICTURES and TELEVISION

USE RYDER SERVICES

First in Magnetic Recording.

First in Direct Positive Release.

First in Electric Printing to Kodachrome and Ansco.

FIRST IN VISUAL MAGNETIC SOUND.

FIRST IN MAGNETIC EDITING.

FIRST WITH FAIRCHILD SYNCHRONIZED TAPE.

for Hollywood Production

RYDER


16MM

SERVICES, Inc.

1161 VINE STREET • HOLLYWOOD 38, CALIF. • PHONE HOLLYWOOD 9-3511

NEW 1951

SENSITESTER



• Electronic timing accurate in repeat action.

• New cold light illumination source.

• Makes light test strips for determining proper printing machine timing. Also makes sensitometric strips for simple gamma curve plotting.

• SENSITESTER can be had for 35mm or 16mm, or combination model for both.

• Timing accuracy insured by 5 - tube electronic intervalometer.


• Simplified one-knob control for setting time interval located directly before operator's eyes.

• Timer range more than adequate for any type film known. Provides accurate timing of exposure from a fraction of a second to 15 seconds duration.

• Cold light lamp made exclusively for the SENSITESTER.

**ART REEVES MOTION PICTURE EQUIP.
AND CAMERA SUPPLY COMPANY**

7512 SANTA MONICA BOULEVARD
HOLLYWOOD 46 CALIFORNIA



U. S. Pat. No. 2260368

GOERZ AMERICAN APOGOR

F:2.3

the movie lens with microscopic
definition successful cameramen
have been waiting for—

● A new six element high quality lens for the 16 and 35mm. film camera. Corrected for all aberration at full opening, giving highest definition in black-&-white and color. Made by skilled technicians with many years of optical training.

● Fitted to precision focusing mount which moves the lens smoothly without rotating elements or shifting image.

● This lens comes in C mount for 16mm. cameras. Fitting to other cameras upon special order.

● Sizes available now: 35 and 50mm. uncoated and 75mm. coated.

Write for prices, giving your dealer's name.

**The C.P. GOERZ AMERICAN
OPTICAL COMPANY**

Office and Factory

317 EAST 34 ST., NEW YORK 16, N. Y.
AC-4

MOVIOLA

FILM EDITING EQUIPMENT
16MM. ~ 35MM.

- PICTURE
- SOUND — Photo. and Magnetic
- SYNCHRONIZERS
- REWINDERS

Model LP
for
16mm.
Picture

Write for
Catalogue

MOVIOLA MANUFACTURING CO.
1451 Gordon St. ● Hollywood 28, Calif.

ENGINEERS AND DRAFTSMEN WANTED

A fine opportunity for experienced engineers and draftsmen by large manufacturer of motion picture and photographic equipment. Permanent positions. Old established firm in Southern Calif. Send resume of education and experience and a photograph to BOX 1128, AMERICAN CINEMATOPHIL, 1782 N. Orange Drive, Hollywood, Calif.

far one can travel in a short space of time in a jet plane.

A considerable measure of credit for our success in this aerial photography assignment is due the USAF personnel who assisted us or participated in the production. In addition to Lt. Bryant, Capt. Smolen and Major Carr, already mentioned, there were Capt. Harry Chapman, Capt. Eldon Klupal, and Captains Dale Goodermote and William Brockmire—pilots of the Acrojets.

Cliff Stine, A.S.C., of course directed the photography on the major part of the picture—a masterful job, particularly in his handling of the many effectively natural but difficult interiors photographed on location. His camera work gives the production a pleasing semi-documentary flavor.

One of the pilots at Williams said that he'd rather fly a jet than kiss his best girl—more kick to it! Be that as it may, certainly the kick is there. Jet flying leaves memories entirely pleasant and unforgettable; but photographing jets, especially from a jet, is a provocative assignment for any cameraman.

MUSIC FOR FILMS

(Continued from Page 146)

also. Aside from setting mood and building up dramatic effect, music does much to give such films a professional finish. By means of proper musical transitions, a smoother flow is created from sequence to sequence and jumps in continuity, which would be very glaring without background sound, become considerably softened.

Music does much to build a sequence, setting the mood oftentimes before the visual picture conveys any unified idea. Gradually building in such a sequence, it carries the emotional response of the audience onward and upward until the climactic scene is reached. Similarly, a change from one mood to another may be effected by fading from one type of music to another as the visual transition between sequences is made on the screen. These principles apply not only to the dramatic feature, but to the documentary, commercial and educational film as well. There is drama in industry and commerce, and these elements can be especially pointed up in films on these subjects through the proper use of background music.

The type and quality of music used in a film depends mainly upon the available budget. For the advanced amateur, semi-professional or small-scale industrial film producer, the budget factor assumes real importance and it is necessary to decide first how much money is available for

music before methods can be decided upon.

Let us deal first with the professional film maker undertaking his first commercial production, and assume that there is unlimited, or at least substantial budget available for the finest type of musical scoring. The ideal way to add music to his picture is to have an original score composed and played to exactly complement the action of the film. Being the best method, it is also the costliest—but it is often possible to cut costs by intelligent planning.

For an original music score, it is important to select a composer with visual imagination, one who can work within the more or less restricted confines of film footages. Composers who have done no previous work for motion pictures may find this very confining at first, but most of them are able to adapt to the medium if they formulate a proper working method. Much of the actual creative work can be done before the film is finally edited. By studying the script, the rushes, and the rough-cut workprint of photographed sequences, the composer can absorb the mood and atmosphere of the subject. He can develop his motifs and themes accordingly, formulating musical ideas and phraseology that can be timed precisely to scenes and sequences when the final cut is approved.

Using a workprint of the finished footage, the composer makes a chart showing in footages (as well as in minutes and seconds) the length of scenes and sequences that need orchestration as separate dramatic units. He also notes where climaxes of action occur that are to be pointed up with appropriate musical punctuation. Working on the film sequence by sequence he uses a Moviola or small projector on which to run the film so that he can check his music against the subject matter as he goes.

The professional method of recording an original score is to have the orchestra set up on a stage equipped with screen and glassed-off projection facilities. The score is recorded in segments up to a full reel, with the screen placed at the rear of the orchestra so that the conductor can watch the action and time the music to it accurately. This enables him to hit all of the musical transitions and climaxes at the precise moments.

If the budget will allow an original score, but not a full orchestra, it is often possible to use a small but effective combination of instruments or a single instrument such as the piano or Hammond organ. The latter instrument is very versatile and is capable of many imaginative sound effects when played skillfully. In most cases standard union recording rates will prevail, and in the case of a single instrument the musician is paid

according to leader's scale, which is twice the amount paid to a single musician playing in a combination or orchestra.

Where the budget will not allow an original score, the next best thing is a specially cut recording track. Emil Velazco, Inc., in New York City is one of several organizations which provides original music for non-theatrical as well as professional film makers. Working from a library of music recorded on film, one of the organization's music cutters will study the producer's workprint, select appropriate themes, and cut the music to exactly fit individual scenes and sequences, all for a surprising nominal fee.

Most sound-on-film recording studios have available libraries of original music, such as that put out by the English firm of Boosey & Hawkes. This is available for re-recording as film background music. The cost is a small royalty per selection. This library is quite extensive and is constantly being enlarged. Moreover, since it consists only of original music, there is no danger of using themes that will sound too familiar.

The best, though more expensive, way of using this disc recorded library music in order to get the precisely cued track is to re-record the music on film or tape and use the individual themes to cut a score tailored exactly to the work print. This cutting should be done by an experienced music cutter with a knowledge of film construction as well as music technology. He will know how to punctuate a sequence properly, how to cut several musical segments together smoothly, how to point up dramatic climaxes, etc. In this type of scoring, a positive print from the negative original is used in re-recording. Thus the producer can build a library of music negative which he can use in future films.

The least expensive way of scoring a picture, and the one most frequently used by advanced amateurs is to re-record narration directly against disc music piped in to the recorder, using what is known as the "radio method." This has the advantage of lower cost in a sense, because one need not pay the extra material, lab and recording fees of first recording the music from disc onto film. However, it is not as precise as the other method, takes longer to rehearse, and is more subject to "fluffs" which can prove expensive, since studio re-recording or "dubbing" is usually done on an hourly basis.

In recording an original score according to the method suggested earlier, each segment or reel is cued visually so that the conductor will know exactly when to begin. The best way to do this is to punch the white leader three times in the picture

at your service...

*the versatile
new*


ANI-STAND

with exclusive money-saving features

Yes... it's available now... a new quality animation stand that can mount a field camera or any studio camera of your choice... a stand that costs you less yet contains the quality and workmanship incorporated in the most expensive stands.

Do you RENT or BUY your stands? On the basis of your current rental charges you can buy and totally pay for a new ANI-STAND in less than one year. Because of new manufacturing techniques the new ANI-STAND, with exclusive features, will cost you up to one-half the cost of other precision stands.

Send today for further details on how the ANI-STAND will cut YOUR production costs as it has for other leaders in the industry.



MOTION PICTURE PRINTING EQUIPMENT CO.

Mfrs. of Motion Picture and Micro Film Printers

8136 NORTH LAWNDALE AVENUE • SKOKIE, ILLINOIS

SALES • SERVICE • RENTALS

— 35 mm. • 16 mm. —

CAMERAS • MOVIOLOS • DOLLYS

Complete Line of Equipment for Production Available for Rental

Mitchell: Standard - Hi-Speed - NC - BNC - 16 mm.

Bell & Howell: Standard - Shiftover - Eyemos

Maurer: 16 mm. Cameras

Moviola: Editing Machines - Synchronizers

SPECIALISTS IN ALL TYPES OF CAMERA REPAIR WORK. LENSES MOUNTED



USED BY MOST OF THE MAJOR STUDIOS

• **Enough illumination for normal set lighting using ordinary house current!**

That's what you get with the newest portable, light-weight COLOR-TRAN lighting equipment. One light gives as much illumination as a regular 5000-watt Hollywood studio spot, yet draws only 13½ amps. of current. Real economy lighting for small film units. A "must" for television remotes.

Write for details—or let us demonstrate

Color Tran Converter Company

7045 Romaine, Hollywood 38, Calif.

Phone: HEmpstead 2326

GORDON SPECIALS!

We are proud to offer, in addition to the items listed below, and in our larger ad on page 147, a complete line of 16mm. and 35mm. negative and positive stock at a fraction of prevailing market prices.

EDITING AND VIEWING EQUIPMENT

BELL & HOWELL 16MM COMBINATION VIEWER AND PROJECTOR. Portable unit with built-in daylight viewing screen 12" x 12". Can be used as standard projector.....\$285.00

GRISWOLD SPlicer, 35mm, R-2, New.....\$19.50

NEUMAIDE STRIPPING FLANGE, 10" diameter with brass hub. New.....\$6.50

NEUMAIDE FILM MEASURING MACHINE 35mm Model M-37-S, single hub. New.....\$29.50

NEUMAIDE FILM WAXER, 35mm. New.....\$19.50

ACE FILM STAPLING MACHINE.....\$ 6.50

FILM CUTTING TABLE, all steel.....\$40.00

35MM NEUMAIDE EVERWEAR, REWINDS, pair 1 dummy, 1 geared)

No. 3 Bench Type, per pair.....\$11.50

No. 4 Clamp Type, per pair.....\$13.50

35MM NEUMAIDE BENCH TYPE REWINDS (Pair—1 Dummy, 1 geared)

No. 1 Bench Type, per pair.....\$ 8.75

No. 2 Clamp Type, per pair.....\$11.25

35MM NEUMAIDE DYNAMIC REWINDS

Geared end and brake; each.....\$14.00

Geared end without brake; each.....\$11.00

CONTINUOUS AND STEP PRINTERS

DE PUE AUTOMATIC LIGHT CONTROL BOARD 152 scenes.....\$975.00

BURCHELL CONTINUOUS PRINTER, 35mm printer used for continuous contact printing on paper. Unit is in self-contained case with light intensity control.....\$285.00

STEP PRINTER, with Geneva movement \$175.00

STINEMAN PRINTER, 35mm.....\$135.00

STUDIO LIGHTS

STUDIO LIGHT, with large 22" diameter chrome reflector on adjustable collapsible stand; focusing mount for bulb, complete with cables and scrims in fitted case.....\$95.00

BARDWELL-McALISTER STUDIO LIGHTS with casters and floor pins. Three fluorescent light heads, each bank holds six fluorescent lamps, banks swing 360°, can be raised 15'.....\$69.50

MOLE-RICHARDSON CINELITE, (Type 16), 500, 1000 watt, double extension stand, casters, portable. New.....\$55.00

GORDON ENTERPRISES

5362 No. Cahuenga • No. Hollywood, Calif.

FOR SALE

AKELEY 35mm CAMERA

Electric Motor and Hand Crank, GYRO Tripod, 2 Pairs of Lenses, ZEISS TESSAR, F/2.7 50mm and 35mm, 4 Magazines and Cases. Extremely Fine Condition.....\$600

B & L BALTARS

100mm F/2.3 and 152mm F/2.7
LOW PRICES — TRADES ACCEPTED.

BEN ROSENBERG

101 W. 45th Street • New York 19, N.Y.
Luxemburg 2-2228

EYEMO

SINGLE-LENS CAMERAS

With 2" f2.8 Lens and Case;
late style governor. Guaranteed.

\$250.00

CAMERA EQUIPMENT CO.

1600 Broadway New York 19, N.Y.

area and at about 1-foot intervals just prior to the start of the picture itself. A grease pencil mark extending from the last punch mark down to the first frame of the picture will help further to warn the conductor, as he watches the film on the screen, so that he can give his downbeat on the precise instant that the first frame of the picture appears.

In the case of a specially cut score composed of individual recordings dubbed off of disc onto film, it is important that the track be carefully edited to coincide with the picture. It is wise to set up the track in "A" and "B" rolls so that dissolves or *segues* can be made smoothly from one piece of music to the other. Using a synchronizing machine, the first piece of music (which usually begins with a fanfare or dominant chord) is lined up with the first frame of the titles on the work print. Both footages are then carried on down to the point where the next music cut or dissolve is indicated.

Where a straight cut is indicated, it is ideal for the second piece of music to begin on an approximate level and key that is similar to that on which the first piece of music ended. This insures a smoother continuity between the two pieces of music.

In the case of a dissolve, especially if there is a considerable change of tempo or mood, it is better if the actual changeover is "hidden" under dialogue or narration. In the case of a piece of music that is too long for the sequence which it accompanies, and yet it is desired that the natural ending of the music coincide with the end of the sequence, it is possible to work from both ends of the sequence, cinching up the excess music either at a point where a natural cut can be made or by dissolve hidden under voice. A similar technique is followed in matching a musical climax with a climax of action. These two points should be paired up, with the rest of the music being cinched up as above.

Music that builds to a climax is extremely effective when matched with action that also builds to a climax—but this type of music should never be used where the action does not follow suit, because the audience will be carried along with the music only to feel cheated when the promised action climax does not materialize. This principle also follows when "menace" or suspense music is used in sequences where the action does not warrant its use.

Now if you are new at this business of adding music to your films—by means of a sound track, that is—there are certain vital things you must remember. If you produce the film for profit, if you are going to sell copies of the film, then be sure your music is first "cleared," both for copyright and Petrillo. Do not dub

music from commercially issued American recordings (phonograph records) for background music or otherwise. If you do, you are liable to suit.

As a rule the amateur, whose films will not be used in any commercial manner, may employ music dubbed from records without fear of legal action. This is being done regularly. Such films may be exhibited in contests and at cine clubs without liability, just as long as no rental or admission fees are derived from such showings. Where the film maker has any doubts, he usually can secure permission to use music from commercial records in amateur film showings, by writing the record manufacturer who usually holds the copyright.

For the amateur who records his music and sound on tape, all of the procedures described above may also be applied in recording and editing music on tape. He becomes the orchestra leader and it is he especially who will benefit by the cue marks on the film. These will aid him in starting and stopping or fading his records in recording the complete musical score, netting a very professional result when both tape and picture are synchronized.

VITAL TOOL OF LABS

(Continued from Page 140)

The vibration motor consists essentially of a coil placed in a uniform magnetic field. The coil is fastened rigidly, by means of a spider, to a drive rod which can be attached to the mechanical device or apparatus to be tested. When alternating current is passed through this drive coil, the coil will oscillate in the magnetic field and develop a force which is applied to the drive rod.

The spring suspension is such that the maximum amplitude of vibration is $\frac{3}{16}$ of an inch from the position of the coil at rest. Power per operation of the equipment is obtained from a 115-volt, 60-cycle operating current supply, and from a 220-volt direct current supply.

Besides intricate electrical equipment, this testing method may also be applied in testing the durability of welded or riveted light sheet metals, such as used in aircraft.

Ultra high-speed photography of such tests enable engineers to observe the progressive deterioration of materials and equipment on the screen with the motion greatly decelerated, thus aiding them in designing more rugged equipment.

The Fastax high speed camera used by Westinghouse was developed during World War II. Its greatest contribution was in making photographic records of atom bomb tests; in recording short dura-

tion phenomena such as the explosive effect of ammunition, jet propulsion and the jamming action of machine guns.

The first Fastax camera to be designed employed 16mm film and exposed it at 4,000 pictures per second. A later model used 8mm film and operated up to twice the speed—8,000 pictures per second; When a wider angle of picture was desired for ballistics study a third Fastax camera was designed using 35mm film and recording pictures on half a frame. This camera records pictures at speeds of 3,500 per second. A rotating prism replaces the conventional rotary focal plane shutter, and an exposure slit is provided before and behind the prism. Light rays picked up by the lens pass through the prism and are focused on the surface of the film as it passes over the central driving sprocket. Speed of the camera is governed by varying the voltage applied to the motor.

Both black-and-white and color film may be used successfully for high speed photography. Polarized light also has been used in conjunction with the camera to study the stress and impact conditions in transparent materials.

THE AQUAFLEX

(Continued from Page 133)

and have it under water again, ready to shoot.


Still another important feature, and an exclusive one, is its reflex finder which enables the operator to observe the action through the taking lens as it is being filmed. This eliminates all problems of parallax, which is highly important, in view of the tremendous difference in the refraction index under water.

The Aquaflex is essentially an Eclair Camerette with a revamped film magazine that has the film rolls in tandem order, instead of one above the other, and is contained in a two-piece underwater housing. Dial knobs located at either side near the hand grips, permit changing lens focus and diaphragm settings under water, also to change the camera motor speed. A conveniently located switch permits starting and stopping the camera motor with the same ease as with cameras used above surface. The motor speed control is an important feature which makes it possible to maintain consistent camera speed regardless of the water temperature or when voltage starts to decline. Low temperature of sea water at great depths has a tendency to affect the battery, reducing its voltage output. In such instances it becomes necessary to increase the camera motor speed, as indicated by the camera's tachometer, which is always visible through a small

110 Volt AC/DC VARIABLE SPEED MOTOR

with TACHOMETER for EK Cine Special

Now you can motor drive your Cine Special with confidence.



Furnished complete with rubber-covered cable and plugs. Write for complete details.

Tachometer is mounted in clear view of operator. It is calibrated from 16 frames per second to 64 fps. with a definite RED marking for 24 fps.

Electrical governor control for adjusting speeds. Steady operation at ALL speeds. "OFF-ON" switch built into motor base. No adaptors required, except motor coupling which attaches to camera and couples to motor.


Motor shaft equipped with spring steel drive arm which will shear if camera jam occurs. This drive arm is easily replaced.

FRANK C. ZUCKER
CAMERA-EQUIPMENT CO.
1600 BROADWAY NEW YORK CITY

GO AUTOMATIC with BRIDGAMATIC

Anybody can run it !

BRIDGAMATIC costs little more than old-fashioned, cumbersome, slow-acting rack and tank processing methods. This low cost automatic film developing machine saves valuable time, protects your precious negatives. Speeds up your entire production routine. Straight 16mm or 16/35mm combination models, negative/positive or reversal up to \$5795 plus tax. Develop and dry ready for showing your own spot newsreel same day events occur. TV stations, small labs, educational institutions, film producers, Microfilmmers, have proven BRIDAMATIC in the field for several years.



Completely self contained with patented overdrive, air squeegees, built-in drybox and heating elements, plastic lined steel tanks. No special skill required for operating—attach rubber hose and plug in.

BRIDGAMATIC 216 B
Positive film speed 1800' per hour
\$2495 plus tax (without extras)

BRIDGAMATIC JR. \$1000 plus tax
for small labs; positive film speed 600' per hour

AGENTS FOR: Acme, Animation, Blue Seal Recorders, Depue Printers, Fearless Dollies, Auricon 16mm line, Magnagran Synchronous Recorders, Magnecorders, Smith Viewfinders, Colortran Lites, Bodde Screens, Hollywood Printers, Zoomar Cine Balowstar Lens, Kinevox Magnetic Recorders, Mole Richardson Lights. MANY ITEMS AVAILABLE ON TIME PAYMENTS.

S.O.S. CINEMA SUPPLY CORP. Dept. F 602 West 52nd St., N. Y. 19

Scheibe FILTERS
In World-Wide Use

Produce moonlight and night effects in daytime • fog scenes • diffused focus and many other effects.

Information mailed on request.


SCHIEBE FILTERS COMPANY
ORIGINATORS OF EFFECT FILTERS
618 N. San Vicente Blvd. Hollywood 46, Calif.

CARL ZEISS LENS

75mm f/1.5 Biotar, coated, in 16mm C mount or Eyemo mount.

\$198.00

SAMUEL KRAVITT, INC.
1096 Chapel St. New Haven, Conn.



CAMART OPTICAL FX UNIT

Will reproduce multiple identical images on film or TV from a single object and rotate them at any speed. Unit consists of four-surface prism and housing, montage unit and base assembly.

\$99.75 plus excise tax
Also available with two, three, four, five, and six surface prisms. Adapters for use with Mitchell 35mm camera.

THE CAMERA • MART INC.
70 West 45th St., New York 19, N. Y.

RUBY EDITORIAL SERVICE, INC.

**Complete Film Editorial Facilities for
Motion Picture & Television
Production**

SOUNDPROOF AIR-CONDITIONED
PRIVATE EDITING ROOMS
Modern Equipment for

EVERY TECHNICAL REQUIREMENT
35 & 16mm.

**RENTALS BY DAY, WEEK
OR MONTH
ALL NEW MOVIOLA EQUIPMENT**

*Equipment Available for
Off-the-Premise Rentals.*

729 - 7th Ave., New York 19, N.Y.
Tel: Circle 5-5640

**16 MM and 8 MM
DUPLICATES**
8 MM COPIES
OF 16 MM
16 MM COPIES
OF 8 MM
COLOR AND BLACK & WHITE

**16 MM SOUND
RECORDING**
and other services
to 16mm producers

**35 MM SLIDE and
FILM STRIP SERVICE**

**16 MM
and
8 MM**

*Motion
Picture
Service*

**WRITE
FOR
PRICES**
DEPT. A

GEO. W. COLBURN LABORATORY, Inc.
164 N. WACKER DRIVE, CHICAGO 6, ILL.

12 ISSUES — 1 Year — of American
Cinematographer, \$3.00. Subscribe today
—use form enclosed with this issue.

glass-covered porthole. The camera is driven by a 6-8 volt, 7 amp. motor powered by a compact, non-spillable wet battery. The camera shutter is variable and may be set at any desired opening from 200° to 40°, thus affording an exposure choice from 1/14 second at 8 fps, to 1/415 second at 40 fps.


The external Aquaflex housing is in two sections. The front section contains the plastic photographing port, the control gears and camera mount, the batteries and wiring, the pressure gauges and exposure meter, plus all the mechanisms for controlling the camera under water.

The rear section covers the 400-foot film magazine, contains the three smaller viewing ports, and the water-tight sealing device. On the outside is mounted one of the three compressed air cylinders supplied with the camera. This is connected to the interior pressure control mechanism. The compressed air valve is so regulated that the camera housing under water contains about 3 psi over the sea pressure at any depth the camera may be used. As the camera is descending, the demand valve increases the interior pressure to equal the depth pressure, plus 3 psi. When the camera is raised to the surface, the demand valve automatically closes and excess air pressure escapes through the relief valve.¹ In short, the Aquaflex automatic pressurization system works the same as in the Aqualung diving unit.

In the camera housing are located small lights to illuminate the built-in exposure meter, film speed tachometer, internal-external pressure differential gauge, and the film footage indicator. These lights go off automatically when the camera starter switch is turned on, thus enabling the motor to receive the maximum of battery current.

Although the built-in exposure meter is an ideal feature of the Aquaflex, I found that with a little experience it was possible to figure exposures under water much the same as when above surface. In the Virgin Islands area, working in 25 feet of water, the exposure norm ran consistently one-half stop more than would be normal above surface. Also, water presents a magnification problem of about 27%. Thus, if I used a 28mm lens on the camera, I would get results comparable to that when a 40mm lens is normally used above surface. The Aquaflex, incidentally, is normally supplied with 28mm, 40mm, and 75mm coated f/2 Kinoptic lenses.

Now, with the recent introduction of the combination 16/35mm Eclair Camerette, it is possible also to obtain the Aquaflex in the combination model to take either 16mm or 35mm film interchange-



MOUNTING the Aquaflex camera in its two-piece housing. Gear rings on lenses merge with gears of external controls.

ably. The use of 16mm film, which affords a greater film load on a per frame ratio basis, permits a maximum underwater shooting interval of 11 minutes.

Although we were working in tropical waters where barracuda, eels, octopus and sharks abound, none of these bothered either me or the frogmen who were our underseas actors. Several times a barracuda would approach, but kept a safe distance, appearing merely curious.

The frogmen, of course, all wore protective rubber suits along with Swimfins, face masks and compressed air tanks with the breather unit. These men, looking not unlike giant frogs in the water, are the specialists trained by the Navy for underwater demolition tactics and other unique wartime maneuvers, some of which are depicted in 20th Century-Fox's production, *The Frogmen*, soon to be seen on the nation's theatre screens.

¹R. R. Conger, *Journal of the S.M.P.T.E.*, December, 1950.

EDITING MAGNETIC SOUND

(Continued from Page 137)

NOTE: Experience to date indicates that production magnetic film can be used ten or more times and the edited film can be used at least twice. The preceding write-offs of magnetic film are on this basis.

By using and editing magnetic film the producer can save \$565.00 and at the same time gain the best possible sound quality. If the above picture were to be recorded with the old 16mm negative-positive process, the cost would be

\$201.00 and if the Ryder magnetic method were used with 16mm magnetic film the cost would be \$79.00; a saving of \$122.00.

If the original recording is made with Fairchild synchronous 1/4" tape and the 17 1/2mm magnetic film for editing is obtained by transferring, the cost would be \$109.00 in place of \$121.00. If the original recording is made with the Fairchild synchronous 1/4" tape and 16mm magnetic film for editing is obtained by transfer, the cost would be \$74.00 in place of \$79.00.



All of the above has been in regard to a twenty-eight minute television show. In the case of a feature-length 35mm production using 100,000 feet of sound recording, 60,000 feet of print takes and having a release length of 10,000 feet, the old negative-positive cost would be \$5,683.00. Using the Ryder 17 1/2mm magnetic film method the cost would be \$1,261.00 and the cost using Fairchild synchronous 1/4" tape for production would be \$1,200.00. Many combinations of procedures can be used and in certain cases alternative procedures are recommended. A complete study of all possible cost combinations has been prepared and specific answers to any cost

Loren Ryder and the Paramount Studio Sound Department were awarded an "Oscar," at the Academy's 1950 Awards ceremonies, for technical achievement in the first studio-wide application of magnetic sound recording to motion picture production.

question will be furnished upon written request to the writer.

It should be pointed out that some television producers are changing from 16mm to 35mm film because of complaints received about 16mm sound quality; 16mm sound quality can be completely satisfactory and any producer that is changing to 35mm film for this reason will be spending hundreds of dollars that could be saved by a proper use and handling of 16mm.

Magnetic readers and magnetic reproduction heads are available for modification of Moviolas. Some review rooms have been equipped for reproducing magnetic film, projection review room rental service is available and more review rooms will be equipped at an early date. At present most magnetic film is hand spliced, which is slow. Splicing service is available and low-priced mechanical splicing equipment will soon be on the market. The assembly of print takes and certain other splices can be made by any



VARIABLE SPEED MOTOR with TACHOMETER

for

CINE SPECIAL CAMERA AND MAURER CAMERA

- 115 V. Universal Motor — AC-DC
- Variable Speed 8-64 Frames
- Separate Base for Cine Special
- Adapter for Maurer Camera

Interchangeable Motors:

- 12 Volt DC variable Speed 8-64 Frames.
- 115 Volt AC 60 Cycles, Synchronous Motor Single Phase.
- 220 Volt AC 60 Cycle, 3 Phase, Synchronous Motor.



Animation Motors for Cine Special, Maurer and Mitchell Cameras. Motors for Bolex and Filmo. Cameras. Time Lapse Equipment.

NATIONAL CINE EQUIPMENT, Inc. 20 W. 22nd St. NEW YORK 10

MOTION PICTURE AND TV PRODUCTION EQUIPMENT FOR STUDIO OR LOCATION PURPOSES

CAMART TV CAMERA CAR

So light that two men can lift it. So narrow that it will go through a standard door. Maneuverable boom arm will provide lens angles from 26" to a height of seven feet. May be disassembled into three sections for ready transportation in your car.

CAMART TF-10 MIKE BOOM

Lightweight and sturdy, 13' extension arm, rear handle for directional mike control, folds to fit in your car.

COLORTAN LIGHTING EQUIPMENT

"750" Watt unit—three spots, one broad, stands, converter, cases; more than 3000 watts of color-balanced light on less than 15 amps. \$298.53.

"2000" Watt unit—two 2000-watt heads, stands, converter, case; 4000 watts of color-balanced light on less than 20 amps. \$180.38.
"5000" Watt unit—two 5000 watt heads, stands, converter, case; 10,000 watts color-balanced light on less than 30 amps. \$230.00.

Immediate delivery on all units.

GET COLOR RIGHT WITH COLORTAN LIGHT.

ARRIFLEX CAMERA HEADQUARTERS

Direct Factory Representatives.

Just imported — New Arriflex-Handcameras, model 11, with built-in 12-volt motor and tachometer, motor cable, set of three matched Zeiss T-coated lenses, two 200' gear-driven duplex type magazines, metal sunshade and filter holder for 3" square filters, lightweight metal carrying case.

CAMART-ARRIFLEX ACCESSORIES

Soundproof camera blimps with follow-focus device, reflex focusing permitting parallax-free control eliminates using side viewfinder, with synchronous motors for use in sound productions. Original Arriflex 200' and 400' magazines. Tripods and baby with specially designed head in bayonet mount for Arriflex cameras. Hi-hats for ground shots or permanent mount. Lens extension tubes for close-up work. Lightweight batteries and chargers.

All spare parts available: Fibre gears, shutters, mirrors, gate assemblies, sunshades, motors.

**ABOVE EQUIPMENT AVAILABLE FOR SALE AND RENTALS.
NEW 1951 MART MESSAGE — Are you on our list?**

THE CAMERA • MART, INC.

70 WEST 45TH STREET
NEW YORK 19, N. Y.

WORLD-WIDE SERVICE
CABLE ADDRESS: CAMERMART

Keep abreast of the Achievements of Professional 16mm. Cinematographers by Reading **AMERICAN CINEMATOGRAPHER** each month. Get it by mail — 12 monthly issues, \$3.00. Foreign, \$4.00.

AMERICAN CINEMATOGRAPHER, 1782 No. Orange Dr., Hollywood 28, Calif.

SCRATCHED! FILM SAVED!

Critical material shortages make the RAPIDWELD PROCESS FOR REMOVING SCRATCHES FROM OLD FILM AND THE RAPID-TREAT process for preserving new film a must. Hundreds of leading firms throughout the country attest to the AMAZING RESULTS we have achieved with their 16MM, 35MM, Originals, Kodachrome, Negatives, and prints. All work unconditionally guaranteed. Write for free descriptive booklet, Dept. AC.

Scratches
Abrasions
Oil Mottle
Dirt
Definitely
REMOVED

RAPID FILM TECHNIQUE, INC.
21 West 46th Street • New York 19, N. Y.

35mm VIEWFINDER GROUND GLASSES for TV

RENTAL AND SERVICE PLAN on COMPLETE line of viewfinder ground glasses.

Write for descriptive literature of our complete line of viewer ground glasses.

GREINER GLASS INDUSTRIES CO.
781 East 142nd St. New York 54, N. Y.

FAIRCHILD
RECORDING EQUIPMENT
CORPORATION

Manufacturing:

**SYNCHRONOUS DISC
SYNCHRONOUS TAPE
SYNCHRONOUS FILM**

*Original Sound Track
Recorders • Dubbers • Editors*

WRITE:

**FAIRCHILD
RECORDING EQUIPMENT
CORPORATION**

154th STREET and 7th AVENUE,
WHITESTONE, NEW YORK
PHONE: INDEPENDENCE 3-2100

Write for Booklet PS 8 about Fairchild Pic-Sync Tape Recorder.

My name.....

Company.....

Address.....

FR-126

of the standard photographic splicing methods.

The pictures accompanying this article show a modulation writer in service. The sound from the magnetic film is picked up by a magnetic reproducer, thence amplified, and made to drive a special reproducer which mechanically moves a ball point pen in accordance with the original modulation. The pen writes on the oxide side of the film. The first writing is down the center of the film, the second and subsequent writings are displaced from the center line.

The position of the magnetic recording on all Paramount and Ryder 35mm magnetic recording is in the so-called negative position with the center line of the recording halfway between the center line of the film and the inside of the sprocket holes. The magnetic recording on 17½mm magnetic film is in the same position as for 35mm magnetic film and can play interchangeably on many equipments. The center line of 16mm magnetic recording is in the center of the film with respect to the two edges. This applies to both single and double perforated film. The width of the recording is in excess of 100 mils.

The writer recommends strongly against off-speed recordings, as alternative standard speed methods can effect an equal saving and at the same time avoid the confusion which is already resulting from off-speed recordings.

The first attempt at magnetic cutting will seem awkward, largely because it is different. It should be expected that some of the steps will be new and some of the steps slightly more complex than photographic film. However, with experience, magnetic editing should be found to be faster, and in the over-all simpler and much less expensive than previous procedures.

USE OF REFLECTED LIGHT

(Continued from Page 145)

the photographer acquires or makes a number of durable reflectors, compact in size and easily carried along with camera and tripod.

Professional reflectors, such as used in the Hollywood studios, vary both in size and in reflective material. Many of the studios have a range of reflectors, each with surfaces of different reflective intensities. Still others have made up dual reflectors having both surfaces coated—one bright, the other soft. The brighter the surface, the stronger and harsher the reflected light. These are employed where the light must be reflected a considerable distance. Reflectors of this type are covered with silver or aluminum leaf,

sheet aluminum foil, or sheet metal. The aluminum leaf is best because the small squares break up the reflected beam of light and do not throw a concentrated hot beam as does sheet metal. Where sheet foil is used, it is crumpled slightly as it is applied to the reflector surface, the result being that the reflected light is broken up into a myriad of beams instead of a single "hot" beam.

For a softer reflected light, aluminum or chrome paint is applied to the reflector surface. Reflectors of this type can be used fairly close to a subject to throw fill light into the shadow side of the face or scene. Where light of still lesser intensity is desired, then a reflector surfaced with flat white paint is the most satisfactory.

Because more than one reflector is usually required in augmenting lighting for the average outdoor scene, it is advisable to design your reflectors for portability and space saving. You'll want to be able to pack them into the trunk compartment of your car, along with the rest of your equipment, so let's plan them from that point of view.

First a very simple reflector, but highly efficient nonetheless, can be made from an ordinary window blind, say 30 to 36 inches in width and shortened in length to about 36 inches. Paint one surface—the inside surface—with aluminum or chrome paint. This reflector may be unrolled when needed and hand-held to throw sunlight into a scene or a group of subjects to produce a more natural pictorial result.

Because the average cine amateur usually works alone without camera assistants, the ideal reflectors are those which are rigid and can be propped up. Once set at the proper angle, you can devote all your attention to your camera and subjects, shifting the reflector angles only when position of the sun has changed sufficiently to require it.

One such reflector can be made by taking two panels of heavy cardboard, wallboard or quarter-inch plywood 15 by 30 inches in size and hinging them together. The cardboard and wallboard panels may be hinged with bookbinder's cloth tape, which is gummed on one side and is easily applied. Small hinges should be used on the wooden plywood panels. Thus a "book" is formed, when opened becomes a flat panel 30 by 30 inches square—a fair sized reflector surface. Coat the inside surfaces of this folding, book-type reflector, using any of the materials previously mentioned. Choice, of course, will depend upon the intensity of the light you will need. You will find it advisable to make at least three reflectors—two with hard reflector surfaces, and one with a soft surface.

A means should be provided for holding the reflectors opened flat, and at an angle. Two lengths of 1" square wooden material will suffice for this: one piece to be temporary nailed or tacked across the back of reflector, while it is open, and the other to act as a prop to hold the reflector at the desired upright angle.

If your cinematography is to be fairly extensive, then a more rugged type of construction should be followed. In this instance, the quarter-inch plywood material should be used. The panels should be applied over frames made of $\frac{3}{4}$ by $1\frac{1}{2}$ " material securely nailed and braced. A wooden prop can be attached to each reflector by means of a small hinge, so that it is always in readiness for use. Small drawer handles can be attached to the two open edges of the reflector to facilitate carrying when folded.

The most common error resulting from use of reflectors by beginners is "washing out" natural shading. The neophyte, irritated by seemingly over-contrasty tones in his subject, often cancels out tonal effects in an effort to get away from the uncorrected condition. But this practice should be avoided unless the footage is being shot especially to match that previously made on an over-cast day. Some cinematographers hold that completely flat lighting has no character and this seems to be the best way of denoting its lackluster quality. Light from reflectors should be concentrated on subjects out of doors only to obtain a pleasing balance.

Balance the lighting by eye or with the aid of an exposure meter. Either method has arguments in its favor. You can make a choice after trying both and studying results on the screen. Matching by eye assures that resultant tones harmonize with the rest of the scene. The background and nearer areas are automatically taken into consideration when the cameraman views his scene from camera position. For example: a medium shot in a mountain setting may contain a jagged rock formation in the background that has deep shadow patterns. If someone standing before it were illuminated with a very strong reflected light coming not from the angle of the sun, the result might appear quite unnatural. The subject would be lit out of key with the natural illumination of the surroundings. The problem would be to lighten up the overall scene, if possible, with very soft reflected light being used on the shadow side of the subject.

The reasons for using a light meter in lining up reflectors are formidable. Many cinematographers work for a controlled quality from one shot to the next, and ratios that are checked with a meter are sure to remain constant. A picture

(Continued on Page 161)

C. ROSS

FOR

LIGHTING EQUIPMENT

Inkie and Arc Lamps including Required Accessories
Generators—Cables—Boards—Boxes

Raby Camera Crane—Dollies—Blimps—Geared Heads

GRIP EQUIPMENT

FOR LOCATION AND STUDIO

Parallels—Steps—Platform Ladders
Century Stands—Reflectors—Flags—Scrims

SOLE EASTERN MOLE-RICHARDSON CO. DISTRIBUTOR
RENTALS • SALES • SERVICE

CHARLES ROSS, Inc.

333 WEST 52nd STREET

NEW YORK 19, N.Y.

Circle 6-5470-1

TRANSMISSION "T" Stop Calibration

DESIGNING and
MANUFACTURING

of
Specialized lens
mountings and
equipment for
16mm & 35mm
cameras

Animation Equipment

MOTORS for
Cine Special, Maurer
and Bolex Cameras

LENS COATING

John Clemens — Erwin Harwood

NATIONAL CINE EQUIPMENT
INC.

20 WEST 22nd ST., NEW YORK 10, N.Y.

RENTALS — SALES
— SERVICE

Eyemo, Mitchell,
Bell & Howell, Wall,
Cine Special Cameras

Bausch & Lomb
"Baltar" lenses and
others for Motion
Picture Cameras

FILM-&TV CAREERS



Day, evening classes—professional
instruction in camera; lighting;
directing; sound; writing;
editing. G. I. Approved.

Write for free booklet P

NEW INSTITUTE
FOR FILM AND TELEVISION
29 FLATBUSH AVE., B'KLYN. 17, N.Y.

THEATER QUALITY 16mm SOUND

The finest equipment plus top
technical skill gives you the
brilliant, tone-true track that
will result in wider distribution
and more bookings for your
picture. Let us prove Telefilm
recording can benefit you.

Write for Information

Dept. A-11

TELEFILM, INC.

6039 Hollywood Blvd.
Hollywood 28, Calif.

Current Assignments of A.S.C. Members



Major film productions on which members of the American Society of Cinematographers were engaged as directors of photography during the past month.

★ ★ ★ ★

★ ★ ★ ★

Allied Artists

- HARRY C. NEUMANN, "The Highwayman," with Charles Coburn, Wanda Hendrix, Phillip Friend, Victor Jory and Virginia Huston. Leslie Selander, director.

Columbia

- HENRY FREULICH, "Son Of Dr. Jekyll," with Louis Hayward, Alexander Knox, Jody Lawrence, Lester Matthews. Seymour Friedman, director.
- WILLIAM SNYDER, "Ten Tall Men," (Harburt Prod.) with Burt Lancaster, Jody Lawrence, Gilbert Roland, Mike Mazurki. Willis Goldbeck, director.

Independent

- ELWOOD BREDELL, "Skid Row," (Jos. Bernhard Prod.) with Sterling Hayden, Viveca Lindfors, Thomas Mitchell, Ludwig Donath. Stuart Heisler, director.
- HAL MOHR, "Chuck-A-Luck," (Fidelity Pictures) with Marlene Dietrich, Arthur Kennedy, and Mel Ferrer, Fritz Lang, director.

Lippert

- ERNEST MILLER, "Little Big Horn," with John Ireland, Lloyd Bridges, Marie Windsor, Reed Hadley, Jim Davis. Charles M. Warren, director.
- JACK GREENHALGH, "Savage Drums," with Sabu, Lita Baron, Sid Melton, and Margia Dean. William Berke, director.
- JACK GREENHALGH, "Yes, Mr. Bones," with Flounoy Miller, Slim Williams and Emmett Miller. Ron Ormond, director.
- JACK GREENHALGH, "That's Show Business," with Jimmy and Mildred Mulcahy, The Diacoffs, Paul Gordon and Jean Carroll. Ron Ormond, director.
- JACK GREENHALGH, "G. I. Jane," with Jean Porter, Tom Neal and Iris Adrian. Reginald LeBorg, director.

M-G-M

- RAY JUNE, "Strictly Dishonorable," with Ezio Pinza, Janet Leigh, Millard Mitchell, Gale Robbins. Norman Panama and Melvin Frank, directors.
- ROBERT PLANCK, "Texas Carnival," (Technicolor) with Esther Williams, Red Skelton, Howard Keel, Ann Miller, Keenan Wynn. Charles Walters, director.
- ROBERT SURTEES, "The North Country," (Ansco Color) with Stewart Granger and Wendell Corey. Andrew Marton, director.
- JOHN ALTON, "People Against O'Hara," with Spencer Tracy, Pat O'Brien, John Hodiak, Diana Lynn, Dick Anderson. John Sturges, director.
- GEORGE FOLSEY, "Rain, Rain Go Away," with James Whitmore, Nancy Davis, Jean Hagen and Ralph Meeker. Fred M. Wilcox, director.
- HAROLD LIPSTEIN, "Banner Line," with Sally Forrest, Keefe Brassele, Lionel Barrymore, Lewis Stone, J. Carrol Naish, Spring Byington. Don Weiss, director.
- PAUL C. VOGEL, "The Angels and The Pirates," with Paul Douglas, Janet Leigh, Keenan Wynn, Donna Corcoran, The Pittsburgh Pirates. Clarence Brown, director.

AMERICAN SOCIETY OF CINEMATOGRAPHERS

FOUNDED January 8, 1919, The American Society of Cinematographers is composed of the leading directors of photography in the Hollywood motion picture studios. Its membership also includes non-resident cinematographers and cinematographers in foreign lands. Membership is by invitation only.

Officers and Board of Governors

RAY RENNAHAN, President
FRED W. JACKMAN, Exec. Vice-President
ARTHUR EDESON, First Vice-President
HAL MOHR, Second Vice-President
WILLIAM V. SKALL, Third Vice-President
ALFRED L. GILKS, Treasurer
JOHN W. BOYLE, Secretary
CHARLES ROSHER, Sergeant-at-Arms
CHARLES CLARKE
GEORGE FOLSEY
LEE GARMES
VICTOR MILNER
SOL POLITO
LEON SHAMROY
JOSEPH WALKER

Alternate Board Members

JOHN ARNOLD
SOL HALPRIN
MILTON KRASNER
ARTHUR MILLER
JOHN SEITZ
JOSEPH RUTTENBERG
KARL STRUSS
CHARLES LANG
ROBERT DE GRASSE
JOSEPH LASHELLE

Monogram

- WILLIAM SICKNER, "Casa Manana," (L. Parsons Prod.) with Robert Clarke, Virginia Welles, Carol Brewster, Spade Cooley. Jean Yarbrough, director.
- WILLIAM SICKNER, "Father Takes The Air," with Raymond Walburn, Gary Gray, M'liss McClure, Barbara Brown and George Nokes. Frank McDonald, director.

Paramount

- VICTOR MILNER, "My Favorite Spy," with Bob Hope, Hedy Lamarr, Francis L. Sullivan, Arnold Moss, Marc Lawrence and Iris Adrian. Norman Z. McLeod, director.
- GEORGE BARNES and PEVERELL MARLEY, "The Greatest Show On Earth," (Technicolor) with Betty Hutton, James Stewart, Cornel Wilde, Dorothy Lamour, Gloria Grahame, Charlton Heston and Lyle Bettger. Cecil B. DeMille, director.
- DANIEL FAPP, "The Stooge," with Dean Martin, Jerry Lewis and Eddie Mayehoff. Norman Taurog, director.

- LEE GARMES, "Detective Story," with Kirk Douglas, Eleanor Parker, William Bendix, Cathy O'Donnell, Horace McMahon. William Wyler, director.

- LIONEL LINDON, "Rhubarb," (Pearlberg-Seaton Prod.) with Ray Milland, Jan Sterling, Gene Lockhart, Orangey Murray. Arthur Lubin, director.

- CHARLES LANG, "Peking Express," (Hal Wallis Prod.) with Joseph Cotton, Corrine Calvert, Edmund Gwenn, Dick McWhorter, director.

- HARRY STRADLING, "My Son John," with Helen Hayes, Van Heflin, Robert Walker, and Dean Jagger. Leo McCarey, director.

R.K.O.

- FRANK PLANER, "Androcles And The Lion," with Jean Simmons, Robert Newton, George Sanders, James Donald. H. C. Potter, director.
- WILLIAM V. SKALL, "Half-Breed," (Technicolor) with Robert Young, Janis Carter, Jack Buettel, Barton MacLane. Edward Ludwig, director.
- JAMES WONG HOWE, "Behave Yourself!" (Wald-Krasna Prod.) with Farley Granger, Shelly Winters, Francis L. Sullivan, William Demarest, Hans Conried, Sheldon Leonard, Margalo Gilmore. George Beck, director.
- FRANK PLANER, "The Blue Veil," (Wald-Krasna Prod.) with Jane Wyman, Charles Laughton and Katharine Locke. Curtis Bernhardt, director.

Republic

- ELLIS W. CARTER, "Havana Rose," with Estelita Roderiquez, Hugh Herbert, Bill Williams, Florence Bates. William Beaudine, director.
- WALTER STRENCE, "Secrets Of Monte Carlo," with Warren Douglas, Lois Hall, June Vincent, Steven Bekassy. George Blair, director.
- KARL STRUSS, "Lady Possessed," (Portland Prod.) with James Mason, June Havoc, Pamela Kellino, Steve Dunne. William Spier and Roy Kellino, directors.
- WALTER STRENCE, "Rodeo King and The Senorita," with Rex Allen, Mary Ellen Kay, and Buddy Ebsen. Phil Ford, director.

20th Century Fox

- CHARLES G. CLARKE, "Kangaroo" (Technicolor) (Shooting In Australia), with Maureen O'Hara, Peter Lawford, Finlay Currie and Richard Boone. Lewis Milestone, director.
- NORBERT BRODINE, "The Frog Men," with Richard Widmark, Dana Andrews, Gary Merrill, Jeffrey Hunter, Robert Wagner and Warren Stevens. Lloyd Bacon, director.
- LEO TOVER, "The Secret Of Convict Lake," with Glenn Ford, Gene Tierney, Zachary Scott, Ethel Barrymore, Ann Dvorak, Helen Westcott and Barbara Bates. Michael Gordon, director.
- LEON SHAMROY, "Friendly Island," (Technicolor) with William Lundigan, Jane Greer, Gloria DeHaven, Mitzi Gaynor, David Wayne, Jack Paar and Gene Lockhart. Edmund Goulding, director.

- HARRY JACKSON, "Anne Of The Indies," (Technicolor) with Louis Jordan, Jean Peters, Deborah Kerr, Herbert Marshall, Thomas Gomez. Jacques Tourneur, director.
- JOSEPH LASHELLE, "Mr. Belvedere Blows His Whistle," with Clifton Webb, Joanne Dru, Hugh Marlo and Zero Mostel. Henry Koster, director.
- MILTON KRASNER, "The Dr. Praetorius Story," with Cary Grant and Jeanne Crain. Joseph Mankiewicz, director.

Universal-International

- RUSSELL METTY, "Fiddler's Green," with Shelly Winters, Richard Conte, Stephen McNally, Charles Bickford and Alex Nicol. George Sherman, director.
- MAURY GERTSMAN, "One Never Knows," with Dick Powell, Peggy Dow, Joyce Holden, Charles Drake, William Vedder. Lou Breslow, director.
- IRVING GLASSBERG, "The Cave," (Technicolor) with McDonald Carey, Alexis Smith, Victor Jory, and Hugh O'Brian. William Castle, director.
- CHARLES BOYLE, "Fine Day," (Technicolor) with Howard Duff, Mona Freeman, Josephine Hull, Craig Stevens. Joseph Pevney, director.

Warner Brothers

- ROBERT BURKS, "Tomorrow Is Another Day," with Ruth Roman, Steve Cochran, Lurene Tuttle and Wallace Ford. Felix Feist, director.
- ERNEST HALLER, "Moonlight Bay," (Technicolor) with Doris Day, Gordon MacRae, Jack Smith, Mary Wickies, Rosemary de Camp, Leon Ames.
- ED DUPAR, "I Was A Communist For The F.B.I.," with Frank Lovejoy, Dorothy Hart, James Millican and Konstantin Shayne. Gordon Douglas, director.
- WILFRED CLINE, "Painting The Clouds With Sunshine," with Dennis Morgan, Virginia Mayo, Lucille Norman and Gene Nelson. David Butler, director.
- TED MCCORD, "Force Of Arms," with William Holden, Nancy Olson, Frank Lovejoy, Gene Evans, Dick Wesson. Michael Curtiz, director.
- SID HICKOX, "Distant Drums," with Gary Cooper and Mari Aldon. Roaul Walsh, director.

WINNERS IN AMERICAN CINEMATOGRAPHER'S 1951 AMATEUR FILM COMPETITION Will Be Announced In the MAY I S S U E

TELEVISION FILM

(Continued from Page 139)

- Paul Ivano, A.S.C., Green Film Corp.
- Allan Seigler, Jerry Fairbanks Prodn.
- Kenneth Peach, A.S.C., Jerry Fairbanks Prodn.
- Benjamin Kline, Bing Crosby Enterprises.
- Joseph Biroc, A.S.C., Snader Telecriptions.
- Fred Jackman, Jr., A.S.C., Ralph Edwards' "Truth or Consequences" show.
- James Van Trees, A.S.C., "Groucho Marx Show."

Karl Struss, A.S.C., has been invited to serve on the committee of judges which will evaluate entries for the annual Sylvania TV Awards.

USE OF REFLECTED LIGHT

(Continued from Page 159)

will project much smoother if the shots all have the same contrast ratio in common, although individual takes may not always be as effective as desired. A meter will also help secure more flattering skin tones when filming in color. A balance of 2:1 or 3:1 is usually a good standard for lighting with color film. A flatter lighting tends to add weight to your subjects, while a contrastier one often emphasizes unattractive features.

Controlled fill light, with the aid of reflectors, is perhaps most important in color photography where a darkened area appears even more separated from the highlight portions because of its deep color concentration. Shade or under-exposure seems to transform colors to a new set of hues of much brighter saturation. In black-and-white photography, a dark area in a scene may be only a dark area on the screen, but with color film it becomes a deep concentration of some very particular color. Too, scenes filmed in color in shaded areas tend to show a blue overcast and a decided blue in the highlights.

Reflectors, properly used can easily brighten these dark areas and eliminate or subdue the bluish effect. Daylight actually is a mixture of sunlight (yellow-red) and the skylight (blue). Thus, the use of reflectors project the warmer sunlight into the shadow areas of subjects and scenes not directly illuminated by the sun, furnishing needed balance in the lighting and, where color film is used, a measure of color correction, too.

AKELEY CAMERA AND INSTRUMENT CORP.

175 Varick Street

New York 14, New York

— Established 1914 —

Designers and manufacturers of silent and sound motion picture cameras with 225° shutter opening, (288° shutter opening for television use), gyro tripods and precision instruments. Complete engineering and machine shop facilities for experimental work, model and production runs.

INQUIRIES INVITED

AUTOMATIC DAYLIGHT DEVELOPING TANK



- Processes up to 200 Ft.
- 8mm, 16mm, 35mm
- Movie-X-Ray-Microfilm
- Motor Driven - Portable
- Unbreakable Plastic
- Uniform Density Assured
- 70mm tank also available

Write for free literature. Dept. A
MICRO RECORD CORP.
20 East 181st Street
New York 53, N. Y.

Trends

Directors of photography, camera department heads, industrial and television film producers, film laboratory heads—these men and their assistants naturally are cover-to-cover readers of *American Cinematographer* because they must keep informed on motion picture production trends, new cinematographic equipment, new techniques—which today, more than ever, is "must" news.

When appearing next to this important "must" news, advertising in this magazine gains prestige and importance.

AMERICAN CINEMATOGRAPHER

Advertising Department

1782 No. Orange Drive, Hollywood 28, Calif.

CLASSIFIED ADVERTISING

RATES: ten cents per word — minimum ad \$1.00. Ads set in capital letters, 60c per agate line.

FOR SALE

"USED EQUIPMENT"

WALL SINGLE SYSTEM CAMERA, 35mm, 50mm, 75mm, 100mm F2.3 Coated and "T" scaled lenses 2 1000' Magazines, Berndt V.A. Galvo, 2 position amplifier with noise reduction, W.E. Microphone, cables, battery, cases, etc. EXCELLENT Condition. Guaranteed\$7,200.00

NCL, 12 Volt D. C. Motor for Mitchell or B&H complete with tachometer, cable and case. Like new 235.00

Synchronous 220 Volt, 3 phase, 60 cycle synchronous motor complete with cables, case, transformer and adapter for DeBrie Camera 275.00

B & H 12 volt Cinemotor with cable and case 275.00

"NEW EQUIPMENT"

Kodak Model 1 Color Densitometer, Demonstration Model 50.00

Animation motor for Cine Special 455.00

Animation motor for Maurer 485.00

NATIONAL CINE EQUIPMENT, INC.

20 West 22nd Street • New York 10, New York

35MM. INTERMITTENTS—now only \$75.00 each—precision machining, excellent design. Perfect for Printers, Animation Cameras, Slide Film Cameras, and for silencing and modernizing motion picture cameras. Double pull-down claws and double registration pins, at aperture. Entire unit in light-tight metal case to accommodate 200-foot roll, complete with take-up. Light trap at aperture. Original cost \$1,000.00.

A F P

1600 BROADWAY - - SUITE 1004
New York 19, N. Y.

RCA 35MM. SOUND RECORDER, THOROUGHLY tested like new condition Model P.R. 18, license not necessary. Buyer owns equipment.

MOLE-RICHARDSON "170" Hi-Intensity Arcs and "B90" Hi-Intensity arcs, also type "40" DU-ARCS, Box 1126, AMERICAN CINEMATOGRA-PHER.

WALL 35MM. single system sound camera, refinished, like new, guaranteed. Complete with 40, 50, 75 and 100mm. F2.3 coated lenses; Modu-lite galvanometer; Auricon amplifier, complete with microphone, necessary cables, mike tripod; camera tripod; erect image viewfinder; two 1000 ft. magazines.\$7000.00

CAMERA EQUIPMENT COMPANY

1600 BROADWAY NEW YORK CITY 19, N. Y.
Cable: CINEQUIP

WE BUY, SELL AND RENT PROFESSIONAL AND 16mm. EQUIPMENT, NEW AND USED. WE ARE DISTRIBUTORS FOR ALL LEADING MANUFACTURERS. RUBY CAMERA EXCHANGE, 729 Seventh Ave., New York City. Established since 1910.

F & B FOR EVERYTHING IN MOVIE EQUIPMENT

Arriflex, 35mm f2, 50mm f1.5, 85mm f2 Zeiss lenses, 12 v. wild motor, 110 v. sync. motor & base, batteries, tripod, cases, excellent \$1,475.00
De Vry Magic Eye, 2" Cooke f2.8 195.00

Cine Special, chrome, with 200 ft. magazine, 1" f1.9, 15mm f2.7, 2" f1.6 lenses, optical viewfinder, Auricon sync. motor, case. Special 995.00

RCA Sound Camera, 16mm, 3 lens turret, 2 woke lenses, case 295.00

B & H 70 DA, 1" Cooke 1.5, L.N. 285.00

B & H Specialist Rackover, 4 lens turret, 1" f1.4, 15mm f2.5 2" f1.6 Ektars, Mitchell viewfinder, mattebox, custom built blimp w. follow-focus, Pro. Jr. Tripod—110 v. sync. motor, 110 v. AC/DC wild motor — completely rebuilt and perfect 2,975.00

Moviola—35mm picture only, tachometer 295.00

Moviola—16mm picture only, takeups 325.00

Colortran Movie Model transformer, L.N. 150.00

Generator, 2 cylinder, 2.5 KW, Kiekafer 369.00

Sound Reader, 16mm Micro, amplifier 145.00

Maurer magazine, 16mm 400 ft. belt drive 139.00

Mitchell viewfinder, mattes 195.00

Screen—RCA Porous box, rubberized—7"x9" 65.00

WE BUY — SELL — TRADE

FLORMAN & BABB PLAZA 7-3906
723 SEVENTH AVE. NEW YORK 19, N. Y.

FOR SALE

NO EQUIPMENT SHORTAGE HERE

Berndt-Maurer camera, internal prismatic rackover, one 400' mag, sync motor, viewfinder, sunshade, case, like new\$1,995.00

Arriflex model II, gray camera, slightly used, three Astro lenses, motor, two 200' mags, motor, sunshade, case 995.00

Camart-Arri Tripod and baby, new 185.00

Auricon-Pro Single system camera, auto-parallax viewfinder, amplifier, complete accessories, demonstrator 1,250.00

Cine-Special II, Ektar 1.4, reflex magnifier, case, used only once, exceptional buy at 900.00

Cine-Special 100' chambers \$125.00; 200' 245.00

Auricon sync motor for Cine-Special 100.00

Custom-built blimp for Cine-Special 245.00

Auricon tripod, excellent 250.00

Mitchell standard tripod, & friction head 495.00

Heavy duty tripod, free head pan and tilt 165.00

CECO Three wheel bicycle seat dolly 250.00

Auricon RT-70 film recorder complete 450.00

Kodascope FS-10N Sound projector, like new 195.00

Victor Silent projector 1600' capacity 85.00

B&H Diplomat projector and case 145.00

Neumade two gang 16mm synchronizer, frame and footage counter, brand new 153.00

Presto 12" disc recorder, new 225.00

Steinman developing system, three tanks, winding reel, drying rack, new 89.50

WE BUY USED EQUIPMENT

SEND LISTING FOR HIGHEST OFFER

THE CAMERA MART, INC.

70 WEST 45th STREET NEW YORK 19, N. Y.

MOVIOLA 35 MM. Silent Model D. ONE B&H 35MM. Professional camera completely rebuilt and guaranteed. DEPUÉ 150 light change board. ONE ARRIFLEX camera. ASSORTED LENSES in Mitchell mounts. BELL & HOWELL 35MM. Model D Printer. MITCHELL TRIPOD, friction heads. Gear Head, finders, matte box. One way tilt head for dolly gear heads. DUPLEX 35MM. double frame printer. 16MM. Sound Printer. AKELEY GYRO TRIPOD. For complete details write

Box 1124, AMERICAN CINEMATOGRA-PHER.

BASS SAYS:

Bass puts thru a special call
To camera-owners, big and small
Who want a new one on a trade,
And know with Bass a deal is made.

Charles Bass.

President.

Bass buys 'em, sells 'em, and trades 'em. BASS CAMERA COMPANY, Dept. AC, 179 W. Madison St., Chicago 2, Ill.

Bell & Howell 35mm. Standard Perforator tools; some new, some slightly used:

- 6 — Punches
- 15 — Pilots
- 8 — Dies Complete

Current Value: \$8,213.08

BEST OFFER

ALPINE CAMERA CO.

4119 W. North Avenue Chicago 39, Ill.

MOLE-RICHARDSON — 24" Sunspots. BROWN-ASHCRAFT Rotary Spots. Some converted to 100 Amp. H. I., F.O.B. New York. Box 1125, AMERICAN CINEMATOGRA-PHER.

SPECIAL EYEMO CAMERAS—Rebuilt factory inspected; magazine and motor adaptation.

Eyemo Compact turret Model M with 1, 2 and 3" lenses\$720.00

Model M Eyemo with 1, 1½ and 2" lenses 695.00

Model Q large turret Eyemo with one lens 795.00

Special model K Eyemo Cameras from 195.00

EYEMO ACCESSORIES AND PROFESSIONAL CINE EQUIPMENT—Eyemo Magazines; developing out-

fits; printers. Special—while they last.

400 ft. Eyemo Magazines like new\$ 69.50

TOP QUALITY CINE LENSES—The world's largest selection of fine cine lenses (Zeiss, Cooke, Astro, Bausch & Lomb, Goerz and others) available on 15 day trial. High Speed, Wide Angle Telephoto—

In focusing mounts, coated to fit Eyemo, Bell & Howell Professional, Mitchell 35 and 16, Maurer.

Zoomer Corp. High Speed Balowstars in stock. 1½" F 1.3 Balowstar lens for Cine Kodak, Special\$199.00

1½" F 1.3 Balowstar lens mounted for Maurer, Filmo, Bolex, etc. 204.00

FREE CATALOG: Full Description and Prices

Send this ad to BURKE & JAMES, INC.

321 S. Wabash Ave. Chicago, Illinois

Att.: A. Caldwell

FOR SALE

AUDIO AKELEY single system sound camera complete with Akeley sound head, Gyro tripod, 3 lenses, view finder, Maurer mixing amplifier. Complete with cables, power supply and W.E. microphone. Also 35mm. Blue Seal Sound Recording Equipment.

CAMERA EQUIPMENT CO., 1600 Broadway, NYC 19, N. Y. Cable: Cinequip.

CINE KODAK SPECIAL 1948 No. 1, F1.9 lens, masks, perfect, \$425.00. DAVIS, 5329 Holmes, Kansas City, Missouri.

UHLER 16 MM — Continuous sound and picture printer. Used just a few hours on some experimental films. Cost around \$765.00. Sell for \$550.00. Also 16mm step printer incorporating that sturdy Eastman Model A Projector, and 21 scene 18 change drop board, \$300.00. RALPH G. WEST, 4906 E. Tenth St., Indianapolis, Ind.

WE BUY, SELL, TRADE Cameras, Projectors, Laboratory, Cutting Room Equipment. 8-16-35-mm. MOGULL'S, 112 W. 48th St., New York 19.

MITCHELL 12 volt motor with Tachometer. CARL ZEISS BINOCULAR microscope with camera "Zeiss" and holders. BELL & HOWELL RACK-OVER Equip. with Fearless shuttle, 12-volt motor. Tachometer, 4 lenses. Has cutout slot for Galvanometer of Flow lamp. BOX 1127, AMERICAN CINEMATOGRA-PHER.

STUDIO & PROD. EQUIP.

SPECIALS FROM SOS — THE ONE STOP SHOP

HOUSTON K1A 16mm Reversal Processor, incomplete, requires repairs\$ 995.00

DUPLEX 35mm Sound & Picture step printer w/light changer, rebuilt 1,395.00

MR 2000W Spots on Stands, new 151.51

LATEST HALLEN SYNC Recorder with 9000' 17½mm film, \$2,100 value, like new 1,495.00

NEW 35mm CONTINUOUS Sound Printers 995.00

SENSATIONAL—NEW BRIDGAMATIC JR. 16mm Developing Machines (incl. lat.) 1,175.00

AURICON Sound CINEVOICE, demonstrator 555.00

EYEMO 35 Spider Turret news cameras. 495.00

WE PAY CASH FOR USED EQUIPMENT. Dept. f

S. O. S. CINEMA SUPPLY CORPORATION

602 W. 52nd Street, New York 19

CAMERA & SOUND MEN

AVAILABLE for assignments in Hawaii. Professionally equipped with 35mm. and 16mm. cameras. TOM MATSUMOTO, 140 So. Beretania St., Honolulu, Hawaii.

LABORATORY & SOUND

SOUND RECORDING at a reasonable cost. High Fidelity 16 or 35. Quality guaranteed. Complete studio and laboratory services. Color printing and lacquer coating. ESCAR MOTION PICTURE SERVICE, INC., 7315 Carnegie Avenue, Cleveland 3, Ohio. Phone ENdicott 1-2707.

WANTED

WANTED TO BUY FOR CASH

CAMERAS AND ACCESSORIES
MITCHELL, B & H, EYEMO, DEBRIE, AKELEY
ALSO LABORATORY AND CUTTING ROOM
EQUIPMENT

CAMERA EQUIPMENT COMPANY
1600 BROADWAY, NEW YORK CITY 19
CABLE: CINEQUIP

F & B BUYS EVERYTHING


16mm and 35mm Movie Equipment.
Highest cash prices paid. It will pay you to
GET OUR OFFER FIRST!

FLORMAN & BABB PLAZA 7-1894
723 SEVENTH AVE. NEW YORK 19, N. Y.


WANTED TO CONTACT individual or company financially able to assist inventor in the development of a practical three dimensional motion picture process. STANLEY L. PHILLIPS, 15 Cliff St., Mt. Vernon, Ohio.

SLIDES, PHOTOS & FILMS

NATURAL COLOR SLIDES, Scenic, National Parks, Cities, Animals, Flowers, etc. Set of eight \$1.95. Sample & List 25c. SLIDES - Box 206, La Habra, California.



*Eastman 16mm. Projector,
Model 25,
adapted for tungsten
illumination.*



The film advance mechanism of the Eastman 16mm. Projector, Model 25, with its own independent motor drive. Illustration shows, from left to right: sprocket; geneva star and driver; two balanced off-center accelerators; synchro-gears; and motor.

**For Spectacular Screen Presentation
of your 16mm. FILMS . . .**

THE EASTMAN 16mm. PROJECTOR, Model 25

You know how essential top-quality picture and sound reproduction are for a successful screen presentation of your 16mm. films. No matter how well your film tells its story—poor projection or mechanical failure will let your audience get away from you, figuratively and literally.

There's one way you can be certain of top-quality screen presentation—by projecting your films with an Eastman 16mm. Projector, Model 25. Here are a few of the many reasons why.

First, the Eastman Model 25 is the result of an entirely new design concept. It is an applied engineering

solution to the problems of 16mm. sound projection, capable of continuous-duty, dependable performance.

Second, since it gives you a choice of high-intensity arc or tungsten illumination—plus *Lumenized* Kodak Projection Ektar Lenses—you can get the screen image brilliance, contrast range, and full screen definition you want under your operating conditions.

Third, unparalleled sound reproduction quality is made possible by advanced optical and electronic engineering. It gives you dependable continuous-duty theater-quality screen presentation when you want it.

*Write today for further detailed information on specifications,
prices, and delivery. Address your inquiries to . . .*

Motion Picture Film Department
Eastman Kodak Company
Rochester 4, N. Y.

East Coast Division
342 Madison Avenue
New York 17, N. Y.

Midwest Division
137 North Wabash Avenue
Chicago 2, Illinois

West Coast Division
6706 Santa Monica Blvd.
Hollywood 38, California

Talking about Movies


**It's the Camera that
makes the difference
in your 8mm films!**

The same film, filters,
types of lenses, lighting
techniques, etc., used
by 16mm fans, are avail-
able to you. And for
the main item in any
movie-maker's kit . . .
the camera . . . try any
one of these fine 8mm
Bell & Howell Cameras.
You'll find them full-
fledged brothers of the
B&H "16's"!

Guaranteed for life. During life of
the product, any defects in work-
manship or material will be reme-
died free (except transportation).

You buy for life when you buy

Bell & Howell




**For instance,
take the 134-U . . .**

. . . it has an extra-fine Filmocoted $\frac{1}{2}$ -inch f/2.5 lens. The rotary disc shutter gives maximum and uniform exposure. Four speeds are governor controlled for entire length of film run. Has built-in exposure guide, accurate film footage indicator, quick-change lens mount and simple "drop-in" loading. Yes, it's every inch a Bell & Howell for \$99.95.



**Or the
easy-to-use 172-B**


. . . features convenient magazine loading. It also has 5 operating speeds (including true slow motion), positive type viewfinder, single frame release, exposure guide, film footage indicator. That's a real camera! With $\frac{1}{2}$ -inch f/2.5 Filmocoted lens, \$139.95.



**But the man
who owns the Auto-8 . . .**

. . . has all the advantages of the 172-B camera, plus the versatility offered by instant lens change. The quick-turn 2-lens turret has lens-matching positive type viewfinders and a critical focuser. With this camera there's no excuse for anything "getting away" . . . with the right lenses you're ready for anything. With $\frac{1}{2}$ -inch f/2.5 Filmocoted lens, \$169.95.


A word about 8mm lenses



**0.5-inch f/1.4 Taylor Hobson
Cooke, \$144.95**



**1-inch f/1.9 B&H Super Comat
\$89.95**



1.5-inch f/3.5 Comat, \$64.95
3-power magnification for medium distance shots.

**. . . they can make
or break your films**

For it's not just enough that the lens passes a certain amount of light to the film. The *quality* of that light is important. The lens must transmit the image clearly and keep it clear right to the edges of the film. When a lens does that, you notice the result on the screen. You get the color contrasts the way they *were*, your pictures are bright and clearly defined on every part of the screen! Bell & Howell lenses are designed to do this for your movies!

Prices subject to change without notice

MORE ABOUT LENSES (tear out and send today)

**Bell & Howell Company
7148 McCormick Road, Chicago 45**

Please send me your free "tips" booklet on selection and use of lenses.

Name _____

Address _____

City _____ Zone _____ State _____